STUDENT'S

Pocket Prescriber

Livingstones' Medical Handbooks.

Symington's Topographical Anatomy of the Child,	£2 : 2
M'Lachlan's Applied Anatomy: Surgical, Medical, and Operative, *3rd Edition*, 2 vols.	18 -
Glaister's Medical Jurisprudence, Toxicology and Public Health. *Illustrated*.....net	15 -
Wheeler's Practice of Medicine, *2nd Edition*....net	8 -
Hughes' Nerves of the Human Body, with Plates ..	7 6
—— Manual of Surgical Anatomy..... net	4 6
Masterman's Zoology, *2nd Edition, Illustrated*..net	12 -
Mikulicz's Treatment of Tubercular Joint Disease net	4 6
Glaister's Manual of Hygiene, *2nd Edition*,.....net	6 -
Gynecology, a Handbook for Students. *Illustrated*	5 -
Husband's Forensic Medicine and Public Health, *7th Edition* ..... net	10 6
—— Practice of Medicine, *5th Edition* .....net	10 6
—— Pocket Prescriber, *New Edition* .....net	1 6
—— Examination of the Urine, *4th Edition* ... net	1 -
Croom's Minor Gynecological Operations, *2nd Ed*..	6 -
Craig's Posological Tables, *New Edition* .....net	1 -
Whitaker's Pathology—Vol. I.—General.....net	4 6
—— The Brain and Spinal Cord, with Plates....net	5 -
Martin's Yellow Fever.....net	4 -
Poole's Vaccination Eruptions .....net	4 6
Orr's Handbook of Public Health.....net	4 -
Hughes' References to Nerves.....net	1 -

22102272134

See Label at end of this book for

"Livingstones' Catechi

"The best things of the kind in existe

Med
K14095

THE STUDENTS' POCKET PRESCRIBER.

THE STUDENTS'

POCKET PRESCRIBER

BY

H. AUBREY HUSBAND, M.B.

C.M., B.Sc., F.R.C.S.E., M.R.C.S., L.S.A.

FOR SIX YEARS ONE OF THE MEDICAL OFFICERS OF THE ROYAL DISPENSARY, EDINBURGH.

Author of 'The Students' Handbook of the Practice of Medicine,' 'Students' Handbook of Forensic Medicine and Public Health,' 'The Urine in Health and in Disease,' etc., etc.

NEW EDITION.

EDINBURGH:

E. & S. LIVINGSTONE.

1901.

31798

printed by

E. & T. LIVINGSTONE,

EDINBURGH.

WELLCOME INSTITUTE
LIBRARY

Coll.	welMOmec
Call No.	

CONTENTS.

	PAGE
Introduction, ...	7
Alteratives, ...	15
Antacids, ...	24
Antispasmodics, ...	29
Aperients, Cathartics, Anthelmintics,	34
Astringents, ...	47
Caustics and Counter Irritants, ..	60
Diaphoretics and Diuretics, ...	64
Emetics and Expectorants, ...	72
Gargles and Inhalations, ...	81
Lotions, Liniments, Ointments, &c., ..	87
Narcotics and Sedatives, ...	106
Refrigerants and Salines, ...	120
Stimulants, ...	128
Tonics, ...	131
Uterine Therapeutics, ...	141
General Prescriptions, ...	147
Weights and Measures, ...	161
Index of Diseases, ...	167

INTRODUCTION.

IN prescribing medicines for the sick, several important points have to be considered. The age, sex, temperaments and idiosyncrasies of our patients, each and all demand our attention. Besides, we must remember that climate and disease are not without their influence, and that even the mode and time of administration are not unimportant matters to be remembered. Medicines should be made as pleasant as possible, the neglect of this simple rule often creating such a feeling of disgust on the part of the sufferer as to entirely destroy the beneficial effect derived. This is especially the case with children. Let us briefly take in detail some of the points just mentioned.

First, as to **Age.** This naturally influences the dose, and for our guidance several rules have been laid down. For instance, it has been proposed to add twelve to the age, and then to divide the age by the result. A child one year old would thus require a dose the thirteenth of that required by an adult; a child three years old, three-fifteenths, or one-fifth. Another rule equally useful is to take the age at the next birthday and divide it by twenty-four; thus the dose for one year is found by taking the age of the child at two years and dividing it by twenty-four; for example, one year $\frac{2}{24} = \frac{1}{12}$, two years $\frac{3}{24} = \frac{1}{8}$, three years $\frac{4}{24} = \frac{1}{6}$, &c. We must also not forget that children bear narcotics badly, and that, as a rule, opium should be avoided in very young children, although they, on the other hand, tolerate belladonna and hyoscyamus very well. The rule for the

administration of opium is one drop of the tincture for each year of age; but safe prescriptions will be given under the heading Narcotics.

With regard to **Sex**, women, as a rule, require smaller doses than men, and this is especially the case with regard to purgatives; powerful cathartics, from the straining they cause, may give rise to displacement of the pelvic organs, and during pregnancy, to abortion.

The **Temperaments** and **Idiosyncrasies** of individuals frequently seem to be outside the reign of all law, and can only be known by experiment, but the effects of habit are better understood. Indulgence in alcohol, opium, and in arsenic eating, renders the system, of those who so indulge, so tolerant of their action, that doses poisonous when administered to others have little or no effect on them.

The effects of **Climate** are seen in the large doses of quinine that may be taken in marshy districts, and of **Disease** in the profuse salivation produced by even small doses of mercury in Bright's disease of the kidney, the diminished influence of narcotics in delirium tremens, and severe pain from cancer, the passage of gall stones, &c. The risk incurred by the administration of opium in erysipelas of the head, of congestion of the brain, or of purgatives in intussusception of the bowels, are all cases in point.

The question of the **Mode** and **Time** of administration of medicines demands more attention than is generally paid to it. The action of medicines is most rapidly produced when the drugs are injected under the skin, as they thus quickly enter the circulation, and next when they are taken upon an empty stomach. The rapid action of a purgative

taken before breakfast, after the night's fast, is well known. On the other hand, medicines which have an irritating effect on the stomach, as arsenic or iodine for instance, should be given soon after a meal. Iron appears to act best when dissolved by the acid of the gastric juice, and is, therefore, best given during active digestion. Cod-liver oil also agrees best if taken with, or soon after, a meal. The action of acids in checking the secretion of the gastric juice is taken advantage of by administering them a short time before meals, in those forms of dyspepsia accompanied with excessive secretion of acid gastric juice; whereas if the contrary effects are desired, alkalies which excite the secretion of the gastric juice should be given. The effects of valuable medicines are thus clearly influenced by their time of administration. In order that remedies may have the desired action, it is necessary

that they be in a state of solution, or at least in a condition to render them easy of assimilation. Medicines, therefore, which are insoluble in water, may be readily so in the gastric juice; others again in the alkaline secretions of the pancreas and intestinal fluids. Minute division or the presence of fatty bodies also assists the rapid absorption and action of drugs. Care must, therefore, be taken in using solutions of corrosive sublimate to the head or other parts of the body, as it has been found that poisonous effects have been rapidly produced when a solution has been allowed to spontaneously evaporate on a part.

From the brief remarks just made, it will be seen that to prescribe medicines properly requires care and a due consideration of the action of each drug, and the object to be attained by its use.

In writing a prescription there are four simple rules which should be carried in the memory. In combining medicines, we seek—

1. **To Augment, Correct, or Modify the Action of a Medicine.**—Thus a combination of purgatives is advisable, especially if they have each an action on different parts of the alimentary canal. Ipecacuanha increases the purgative action of jalap, and the emetic action of tartar emetic. The griping tendency of some drugs is modified by aromatics, and mercury is prevented from running off by the bowels by combining it with opium.

2. **To obtain the Joint Operation of two or more Medicines.**—The combination of purgatives just instanced will serve as an example of this rule.

3. **To obtain a New Remedy.**—The union of the tincture of the perchloride of iron and the solution of the

acetate of ammonia, of corrosive sublimate, and the iodide of potassium, and of sulphate of iron and carbonate of potash, are all well-known and useful mixtures.

4. **To afford a Suitable Form.**—Bread crumb and extracts for pills, emulsion of acacia to suspend heavy powders, bismuth, and the like. Glycerine disguises the taste of the tincture of iron; the essential oil of lemons that of the sulphate of magnesia.

THE STUDENT'S

POCKET PRESCRIBER.

Alteratives.

1

℞ Hydrargyri cum Creta - - - gr. iij
Pulveris Opii - - - - - - - gr. ¼
Misce.

Sumat unam nocte maneque.

In Syphilis.

2

℞ Hydrargyri Perchloridi - - - gr. ij
Ammonii Chloridi - - - - - gr. x
Extracti Sarsæ Liquidi - - - ℥iij
Liquorem Sarsæ Compositi Concentratum ad - - - - - - ℥xij
Misce

Sumat ℥ss ter in die.

In Constitutional Syphilis, &c.

3

℞ Hydrargyri cum Cretâ - - - gr. j
Pulveris Rhei - - - - - - gr. j
Sodii Bicarbonatis - - - - - gr. ij
Misce.

(For a child 1 year old.)

An Alterative Powder.

4

℞ Extracti Colchici - - - - - gr. iss
Extracti Rhei - - - - - - gr. vj
Extracti Aloes Barbadensis - - gr. vj
Extracti Belladonnæ Alcoholici gr. j
Misce.

Divide in pilulas sex.
One at night twice a week.

In Chronic Gout.

5

℞ Potassii Iodidi - - - - - - ʒijss
Tinct. Digitalis - - - - - - ʒjv
Tinct. Hyoscyami - - - - - ʒjv
Aquæ Menthæ Viridis - - - ℥iij
Misce.

One teaspoonful in sweetened water every two or three hours.

In Meningitis.

6

℞ Picis Liquidæ - - - - - - - ♏ij
Pulv. Cinnam. Co. - - - - - gr. ss
Misce.

Fiat pil. Sumat unam ter in die.

In Psoriasis.

7

℞ Potassii Iodidi - - - - - - gr. v
Ammon. Carb. - - - - - - gr. ij
Liq. Hydrarg. Perchlor. - - - ʒj
Infusum Gentianæ Co. ad - - ℥j
Misce.

Sumat ter in die.

In Syphilitic Stomatitis.

8

℞ Potassii Iodidi - - - - - - ʒij
Infusi Gent. Co. - - - - - ℥viij
Misce.

Capiat ℥j ter in die.

In Chronic Rheumatism.

9

℞ Tinct. Guaiaci Ammoniatæ - - ʒiij
Tinct. Aconiti - - - - - - ♏xx
Aquam Camphoræ ad - - - ℥vj
Misce.

℥j ter in die.

In Tonsillitis and Rheumatism.

10

℞ Potassii Iodidi - - - - - - ʒss
Spiritûs Ammoniæ Aromatici - ʒiij
Tinct. Belladonnæ - - - - - ʒjss
Tinct. Cinchonæ Compositæ - ʒvj
Aquam Menthæ Piperitæ ad - ℥vj
Misce.

℥j ter in die.

In some forms of Asthma.

11

℞ Potassii Iodidi - - - - - - gr. xv
Vini Colchici - - - - - - ʒjss
Tinct. Hyoscyami - - - - - ʒj
Infusum Calumbæ ad - - - - ℥vj
Misce.

Sumat ℥j ter in die.

In Chronic Gout.

12

℞ Potassii Iodidi - - - - - - gr. xxiv
Potassii Bromidi - - - - - gr. xxx
Ferri et Ammonii Citratis - - gr. xxx
Aquam Anethi ad - - - - - ℥vj.
Misce.

℥j ter in die.

In Epilepsy.

13

℞ Hydrargyri Perchloridi - - - gr. j
Potassii Iodidi - - - - - - gr. lx
Tinct. Calumbæ - - - - - ʒij
Aquam ad - - - - - - - - ℥vj
Misce.

℥ss ter in die.

In Constitutional Syphilis.

14

℞ Syrupi Ferri Iodidi - - - - ʒiij
Syrupi Aurantii - - - - - ℥ss
Aquam Anethi ad - - - - - ℥vj
Misce.

℥j ter in die.

In Scrofula.

15

℞ Potassii Bromidi - - - - - ʒij
Ferri et Ammonii Citratis - - ʒj
Spiritûs Ammoniæ Aromatici - ʒij
Infusum Calumbæ ad - - - - ℥vj
ʒj ter in die. *In Epilepsy.* Misce.

16

℞ Magnesii Sulphatis - - - - ʒj
Tinct. Rhei - - - - - - - - ʒij
Syrupi Zingiberis - - - - - ʒj
Aquam Carui ad - - - - - ℥jss
Misce.
ʒj ter in die. (For a child 1 year old.)
Alterative (West).

17

℞ Liquoris Hydrargyri Perchloridi ʒj
Extracti Taraxaci Liquidi - - ʒij
Extracti Cinchonæ Liquidi - - ʒj
Tinct. Aurantii - - - - - - - ʒj
Syrupi - - - - - - - - - - ʒiij
Aquam ad - - - - - - - - ℥jv
Misce.
℥ss bis die. (For a child 3 years old.)
Alterative and Tonic in Disorders of the Liver (West).

18

℞ Extracti Taraxaci - - - - - - ʒij
Sodii Bicarbonatis - - - - - - ʒj
Extracti Sarsæ Liquidi - - - - ʒjv
Syrupi Aurantii - - - - - - ʒjv
Liquorem Sarsæ Compositi Concentratum ad - - - - - - ℥vj
Misce.

℥ss ter die in lacte. (For a child 4 years old.)

Alterative and Tonic in Tabes Mesenterica (West).

19

℞ Potassii Bromidi - - - - - - gr. xij
Tinct. Belladonnæ - - - - - - ♏xxv
Syrupi - - - - - - - - - - ℥ss
Aquam ad - - - - - - - - - ℥jss
Misce.

ʒj ter in die. (For a child 2 years old.)

In Whooping-Cough.

20

℞ Hydrargyri cum Cretâ - - - gr. ij
Pulveris Ipecacuanhæ Compositi gr. ss
Misce.

One powder every six hours.
(For an infant from 6 to 12 months old.)

In Inflammation of Serous Membranes.

21

℞ Hydrargyri Iodidi Viridis - - gr. xij
Extracti Lupuli - - - - - gr. lx
Extracti Opii - - - - - - gr. v
Misce.

Divide into twenty-four pills.
Sumat unam ter in die.

In Tubercular Diseases of the Skin, Syphilis, &c.

22

℞ Syrupi Ferri Phosphatis - - - ʒij
Aquam ad - - - - - - - - ℥jss
Misce.

ʒj ter in die. (For a child a year old.)

In Scrofula.

23

℞ Ammonii Bromidi - - - - - gr. xij-lx
Infusi Aurantii - - - - - - ℥vj
Misce.

℥j ter in die.

In Epilepsy (Dr Gibb).

24

℞ Ammonii Benzoatis - - - - gr. x-xxx
Aquæ - - - - - - - - - - ℥jss
Misce.

Take three times a day.

In Inflammation of the Bladder and Phosphatic Urine.

Antacids.

25

℞ Sodii Bicarbonatis - - - - - gr. x
Spiritûs Ammoniæ Aromatici - ♏iij
Syrupi - - - - - - - - - ʒij
Aquam Anethi ad - - - - - ℥jss
Misce.

ʒj pro re nata.

(For a baby a week or more old.)

In Flatulence.

26

℞ Bismuthi Carbonatis - - - - ʒj
Pulveris Acaciæ - - - - - ʒjss
Creosoti - - - - - - - - - ♏vj
Spiritûs Ammoniæ Aromatici - ʒij
Syrupi - - - - - - - - - ℥j
Aquam ad - - - - - - - - ℥viij
Misce.

A sixth part three times a day.

In Acidity of the Stomach and Nausea.

27

℞ Lithii Carbonatis - - - - - - gr. v
Aquæ Anethi - - - - - - - ℥j
Misce.

Take three times a day.

In Chronic Gout (Garrod).

28

℞ Lithii Carbonatis - - - - - - gr. v

Take in half a bottle of soda water thrice daily.

In Gout.

29

℞ Sodii Bicarbonatis - - - - - gr. x
Pulveris Rhei Compositi - - gr. xx
Tinct. Camphoræ Compositæ, - ʒj
Aquam Anethi ad - - - - - - ℥jss
Misce.

In Acidity of the Stomach with Pain and Flatulence.

30

℞ Acidi Hydrochlorici Diluti - - ʒjss
Tinct. Nucis Vomicæ - - - ʒj
Infusum Gentianæ Co. ad - - ℥vj
Misce.

Sumat ℥j ter in die ante cibos.

In Acidity of the Stomach.

31

℞ Pepsini - - - - - - - - - gr. lx
Creosoti - - - - - - - - - ♏x
Bismuthi Carbonatis - - - - gr. lx
Misce.

Divide into thirty equal parts, and give one in a gelatine capsule.

In Dyspepsia.

32

℞ Liq. Bismuthi et Ammonii Citratis ʒj
Syrupi Aurantii - - - - - - ʒiij
Infusum Chiratæ ad - - - - ℥jss
Misce.

Sumat haustum ter in die.

In Pyrosis and Gastrodinia.

33

℞ Potassii Bicarbonatis - - - - ʒj
Tinct. Hyoscyami - - - - - ʒvj
Infusum Buchu ad - - - - ℥vj
Misce.

℥j ter in die.

In Irritability of the Bladder.

34

℞ Ammonii Carbonatis - - - - gr. v
Potassii Chloratis - - - - - gr. x
Tinct. Opii - - - - - - - ♏x
Infusum Lupuli ad - - - - ℥j
Misce.

Take three times a day.

In Debility with Acidity.

35

℞ Tinct. Lupuli - - - - - - ʒvj
Tinct. Cardamomi Co. - - - ʒjv
Vini Ipecacuanhæ - - - - - ʒij
Extracti Opii Liquidi - - - ♏xxv
Misturam Cretæ ad - - - - ℥vj
Misce.

℥ss ter in die.

In Acidity and Diarrhœa.

36

℞ Liquoris Potassæ - - - - - - ♏xv
Aquam ad - - - - - - - - ℥jss
Misce.

Ter in die.

To render the Urine Alkaline.

37

℞ Potassii Citratis - - - - - - gr. xl
Aquam ad - - - - - - - - ℥iij
Misce.

Take every three hours.

Useful in the solvent treatment of Uric Acid Calculus (Roberts).

Antispasmodics.

38

℞ Tinct. Lobeliæ - - - - - -	ʒij
Spiritûs Ætheris - - - - -	ʒiij
Tinct. Conii - - - - - - -	ʒij
Misturam Amygdalæ ad - - -	℥vj

Misce.

℥ss ter in die.

In Asthma.

39

℞ Folii Belladonnæ - - - - -	gr. vj
Folii Hyoscyami - - - - -	gr. iij
Folii Stramonii - - - - -	gr. iij
Folii Phellandrii Aquatici - -	gr. j
Extracti Opii - - - - - - -	gr. ¼
Aquæ Laurocerasi - - - -	q.s.

Moisten the powdered leaves with the extract of opium dissolved in the cherry laurel water, then dry and make into cigarettes.

Most useful in Asthma.

40

℞ Spiritûs Ætheris - - - - - ʒiij
Spiritûs Chloroformi - - - - ʒiij
Tinct. Cardamomi Compositæ - ʒvj
Tinct. Rhei - - - - - - - - ʒiij
Aquam Menthæ Viridis ad - - ℥vj
Misce.

℥j pro re nata.

In Flatulence.

41

℞ Potassii Citratis - - - - - gr. cxx
Tinct. Stramonii - - - - - ʒj
Tinct. Colchici - - - - - ʒij
Infusi Digitalis - - - - - - ʒiij
Aquam Menthæ Piperitæ ad - ℥vj
Misce.

℥j ter in die.

In Gout, with Dyspnœa and full Pulse.

42

℞ Tinct. Hyoscyami - - - - - ʒjv
Tinct. Gelsemii - - - - - ʒiij
Potassii Bromidi - - - - - gr. lx
Aquæ - - - - - - - - - ℥jv
Misce.

Thirty drops three times a day.

In Nervous Cough.

43

℞ Bromoformi - - - - - - gr. x
Alcohol - - - - - - - - ʒj
Syrupi Simplicis - - - - - ʒiij
Aquæ - - - - - - - - - ℥iij
Misce.

One or two tea-spoonfuls daily.

In Whooping-Cough.

44

℞ Tinct. Valerianæ Ammoniatæ - ʒjv
Spiritûs Chloroformi - - - - ʒij
Infusum Valerianæ ad - - - ℥vj
Misce.

ʒj pro re nata.

In Hysteria.

45

℞ Tinct. Cardamomi Compositæ - ʒjv
Acidi Hydrocyanici Diluti - - ♏xl
Spiritûs Ammoniæ Aromatici - ʒij
Tinct. Zingiberis - - - - - ʒiij
Aquam Chloroformi ad - - - ℥vj

Misce.

℥ss pro re nata.

In Simple Colic.

46

℞ Sodii Carbonatis - - - - - gr. xij
Spiritûs Ammoniæ Aromatici - ♏vj
Syrupi Simplicis - - - - - ʒij
Tinct. Cardamomi Compositæ - ♏xx
Aquam Anethi ad - - - - - ℥jss

Misce.

ʒj quartâquâque horâ.

(For an infant 6 months old.)

In Flatulence.

47

℞ Zinci Sulphatis - - - - - -	gr. viij
Extracti Belladonnæ - - - -	gr. ij
Aquam ad - - - - - - - -	℥jv

Misce.

℥ss ter in die.

(For a child over 3 years.)

In Whooping-Cough.

48

℞ Tinct. Asafetidæ - - - - -	ʒij
Tinct. Sumbul - - - - - -	ʒij
Tinct. Opii - - - - - - -	ʒss
Aquam Menthæ Piperitæ ad	℥viij

Misce.

A sixth part every four hours.

In Hysteria.

Aperients, Cathartics, and Anthelmintics.

49

℞ Pulveris Rhei - - - - - - - ℥ss
Extracti Aloes Barbadensis - - ʒss
Extracti Belladonnæ - - - - gr. iij
Olei Caryophylli - - - - - ♏iij
Misce.

Divide into twenty pills. One night and morning.

In habitual Constipation.

50

℞ Extracti Aloes Barbadensis - - gr. iij
Extracti Nucis Vomicæ - - - gr. ss
Mastiche - - - - - - - - - gr. ss
Misce.

Fiat pil. mitte xij.
One pill night and morning.

Very useful in habitual Constipation in Women.

51

℞ Magnesii Sulphatis - - - - ℥j–ij
Acidi Sulphurici Aromatici - - ʒjss
Syrupi Zingiberis - - - - - ℥j
Aquam Chloroformi ad - - - ℥vj
Misce.

℥j every two or three hours.

A good Aperient.

52

℞ Magnesii Sulphatis - - - - ℥j–ij
Magnesii Carbonatis - - - - ℥ss
Sodii Bicarbonatis - - - - ʒj
Aquam Menthæ Viridis ad - - ℥vj
Misce.

℥j every two or three hours.

A good Aperient and Antacid.

53

℞ Extracti Cascaræ Sagradæ Liquidi ℥j

Twenty drops in water three times a day.

Useful in Constipation.

54

℞ Confectionis Sennæ - - - - - ℥j
Sulphuris Sublimati - - - - - ℥j
Pulveris Jalapæ - - - - - - ℥j
Copaibæ - - - - - - - - - - ℥jv
Pulveris Zingiberis - - - - - ʒss
Potassæ Tartratis Acidæ - - - ℥jv
Syrupi Zingiberis - - - - - - q.s.

Misce.

Fiat electuarium.

One tea-spoonful night and morning.

In Hæmorrhoids.

55

℞ Pilulæ Hydrargyri - - - - - gr. jv
Pilulæ Rhei Compositæ - - - gr. jv
Extracti Hyoscyami - - - - gr. ij

Misce.

Fiat pil. ij. Take both at bed-time.

In Bilious Headache.

56

℞ Quininæ Sulphatis - - - - gr. ij
Pulveris Rhei - - - - - - gr. iij
Mucilaginis - - - - - - - q.s.
Misce.

Fiat pil. j. At bed-time.

In Bilious Headache.

57

℞ Trochisci Santonini - - - - ℥ss

One to three for a child.

In Round-worms.

58

℞ Magnesii Sulphatis - - - - ℥jss
Magnesii Carbonatis - - - - ℥ss
Vini Colchici - - - - - - ℥j
Aquam Chloroformi ad - - - ℥vj
Misce.

℥j ter in die.

In Acute Gout.

59

℞ Hydrargyri Subchloridi - - - gr. ij-v
Pulveris Jalapæ Compositi - - gr. v-viij
Misce.

Useful in Thread-worms in children.

60

℞ Olei Crotonis - - - - - - - ♏ ½–1
Olei Caryophylli - - - - - - ♏j
Micæ panis - - - - - - - - q.s.
Misce.

Statim sumenda, et horis duabus repetenda, si opus sit.

Useful where a brisk Purge is required.

61

℞ Olei Crotonis - - - - - - - ♏j vel ij
Pilulæ Colocynthidis Co. - - ℥ss
Pilulæ Galbani Co. - - - - ℥j
Misce.

Divide into eighteen pills. One or two at bed-time.

In obstinate Neuralgia.

62

℞ Pulveris Rhei - - - - - - - gr. xv
Magnesii Carbonatis - - - - gr. lx
Aquam Anethi ad - - - - - - ℥jss
Misce.

℥j every two or three hours in milk.
(For a child 12 months old.)
An Aperient.

63

℞ Infusi Rhei - - - - - - - - ℥jvss
Tincturæ Aurantii - - - - - - ℥ij
Infusum Calumbæ ad - - - - ℥jv
Misce.

℥iij twice a day.
(For a child 3 years old.)
Useful in threatened Acute Hydrocephalus (West).

64

℞ Magnesii Sulphatis - - - - - ℥ij
Syrupi Aurantii - - - - - - - ℥ij
Aquam Carui ad - - - - - - ℥jss
Misce.

℥ij every hour till the bowels act.
(For a child 3 years old.)

65

℞ Elaterii - - - - - - - - - gr. j
Extracti Gentianæ - - - - - - gr. xij
Misce.

Divide into four pills. One every night.

In Dropsy.

66

℞ Extracti Filicis Liquidi - - - ʒss
Pulveris Acaciæ - - - - - gr. xl
Spiritûs Myristicæ - - - - - ♏v
Syrupi Tolutani - - - - - ʒjv
Aquam Cinnamomi ad - - - ℥j
Misce.

The mixture at night, followed by a dose of castor oil next morning.
(For a child 8 or 10 years old.)

In Tape-worm.

67

℞ Hydrargyri Subchloridi - - - gr. ij-iij
Pulveris Scammonii Co. - - - gr. jv
Pulveris Cretæ Aromat. - - - gr. v
Misce.

(At bed-time for children.)

In Thread-worms.

68

℞ Santonini - - - - - - - - gr. ij
Sacchari Lactis - - - - - - gr. x
Misce.

(For a child 3 years old.)

Given fasting, and followed by a brisk purge.

In Round-worms.

69

℞ Podophylli Resinæ - - - - gr. j
Fellis Bovini Purificati - - - gr. j
Pilulæ Hydrargyri - - - - - gr. j
Pilulæ Rhei Compositæ - - - gr. ij
Misce.

One pill at night.

In obstinate Constipation.

70

℞ Kamalæ - - - - - - - - - gr. lx
Syrupi - - - - - - - - - ℥ss
Pulveris Tragacanthæ - - - - ʒj
Aquam ad - - - - - - - - ℥jss
Misce.

Followed by a purge.

In Tape-worm.

71

℞ Podophylli Resinæ - - - - gr. j
Pilulæ Rhei Compositæ - - - gr. x
Extracti Hyoscyami - - - - gr. jv
Misce.

Divide into 4 pills. One every third night.
In Constipation (Sir G. Burrows).

72

℞ Pulveris Jalapæ - - - - - - ℥j
Potassii Tartratis Acidi - - - ℥j
Ferri Carbonatis - - - - - ℥j
Pulveris Zingiberis - - - - ʒss
Theriacæ - - - - - - - - - q.s.

Fiat electuarium. Dose—ʒss–ʒj bis in die.
For Worms in children.

73

℞ Pulveris Rhei - - - - - - gr. x
Pulveris Scammonii - - - - gr. x
Potassii Sulphatis - - - - - gr. x
Pulveris Cinnamomi Compositi - gr. vj

Tere optime simul. Divide in pulveres sex.
Sumat unam quartâquâque horâ ad
alvi pluram solutionem.
A mild Aperient for young children.

74

℞ Magnesii Sulphatis - - - - gr. cxx
Mannæ - - - - - - - - - gr. clx
Tincturæ Sennæ - - - - - ℥ij
Infusum Sennæ ad - - - - ℥jss
Misce.

Haustus.
Common Black Draught.

75

℞ Pilulæ Cambogiæ Compositæ - gr. v
Pilulæ Asafetidæ - - - - - gr. v
Misce.

Divide in pilulas duas. To be taken every night.
(A good Purgative, acting chiefly on the Small Intestines.)

76

℞ Pil. Colocynthidis et Hyoscyami gr. xx
Fellis Bovini Purificati - - - gr. xx
Extracti Lupuli - - - - - - gr. xx
Misce.

Divide in pilulas viginti. One three hours after dinner.
In Constipation and imperfect Digestion.

77

℞ Sodii Bicarb. - - - - - - - ʒj
Sodii Chloridi - - - - - - - gr. iv
Sodii Sulph. - - - - - - - gr. x
Magnesii Sulph. - - - - - - gr. iij
Ferri Sulphatis - - - - - - - gr. ¼-1
Aquæ - - - - - - - - - - - Oj.
Misce.

(An imitation of Vichy Water.)
In Chronic Gout.

78

℞ Sodæ Tartaratæ - - - - - - ʒjv
Tinct. Sennæ - - - - - - - ℥j
Syrupi Zingiberis - - - - - - ʒij
Aquam ad - - - - - - - - - ℥jss
Misce.

Fiat haustus. Si opus sit.
(More pleasant than the common black draught.)

79

℞ Confectionis Sulphuris - - - - ℥ij
Extracti Taraxaci - - - - - - ℥j
Misce.

Dose—A tea-spoonful in the morning.
In Hæmorrhoids.

80

℞ Pilulæ Colocynthidis Compositæ gr. ijss
Pilulæ Hydrargyri - - - - - gr. ijss
Misce.

(A good home aperient pill.)

81

℞ Elaterii - - - - - - - - - gr. jss
Pulveris Capsici - - - - - gr. jx
Hydrargyri Subchloridi - - - gr. xij
Extracti Hyoscyami - - - - gr. xviij
Misce.

Divide in pilulas viginti. Sumat j vel ij si opus sit.

(An active purgative. The Capsicum prevents the nausea produced by Elaterium.)

82

℞ Podophylli Resinæ - - - - gr. jv
Pulveris Ipecacuanhæ - - - gr. vj
Extracti Gentianæ - - - - - gr. xxvj
Misce.

Divide in pilulas duodecem.

(A useful pill in Constipation.)

83

℞ Extracti Nucis Vomicæ - - - gr. iij
Pulv. Ipecacuanhæ - - - - gr. vj
Pilulæ Rhei Compositæ - - - gr. xl
Misce.

Divide in pilulas duodecem.
(An aperient pill in delicate women.)

84

℞ Pepsinæ Porci - - - - - - gr. xxxij
Extracti Aloes Barbadensis - - gr. viij
Glycerini - - - - - - - - q.s.
Misce.

Divide in pilulas octo.
(In some forms of Dyspepsia with Constipation.)

85

℞ Cusso - - - - - - - - - - gr. ccxl
Mellis Depurati - - - - - ℥j
Misce.

Take half at once and the rest in six hours.
In Tape-worm.

86

℞ Decocti Granati Radicis - - - ℥j–ij
In Tape-worm.

Astringents.

87

℞ Olei Ricini - - - - - - - - ʒj
Pulveris Acaciæ - - - - - - ʒij
Sacchari Albi - - - - - - - ℥ss
Tinct. Opii - - - - - - - - ♏jv
Aquæ Cinnamomi - - - - - - ℥j
Misce.

ʒj tertia vel quartâquâque horâ.
(For a child 1 year old.)

In Inflammatory Diarrhœa (West).

88

℞ Extracti Hæmatoxyli - - - - ʒj
Tinct. Catechu - - - - - - - ʒij
Syrupi - - - - - - - - - - ℥j
Aquæ Carui - - - - - - - - ℥jss
Misce.

ʒj ter in die.
(For a child 1 year old.)

In Diarrhœa.

89

℞ Liquoris Potassæ - - - - - - ♏xxv
Mucilaginis Acaciæ - - - - ℥vj
Vini Ipecacuanhæ - - - - - - ♏xxjv
Syrupi Tolutani - - - - - ℥jv
Aquam ad - - - - - - - - ℥jv
Misce.

℥ij sextâquâque horâ.

(For a child 12 to 18 months old.)

In Diarrhœa during Teething.

90

℞ Acidi Sulphurici Diluti - - - ℥jss
Tinct. Opii - - - - - - - - ℥j–jss
Tinct. Cinnamomi - - - - - ℥iij
Syrupi - - - - - - - - - ℥ss
Aquam Camphoræ ad - - - - ℥vj
Misce.

One ounce every time the bowels are moved.

(In early stages of Cholera.)

In severe Diarrhœa with Vomiting.

91

℞ Liquoris Hydrargyri Perchloridi ♏xx
Potassii Iodidi - - - - - - - gr. j
Chloral Hydratis - - - - - - gr. j
Aquæ Cinnamomi - - - - - - ℥j
Misce.

Sumat tertia vel quartâquâque horâ.

In Infantile Diarrhœa with slimy stools.

92

℞ Glycerini Boracis - - - - - - ♏xx
Tinct. Aurantii - - - - - - ♏iij
Aquam ad - - - - - - - - - ℥j
Misce.

To be given every one, two, or three hours, according to severity of case or age of patient.

In Infantile Diarrhœa with excessive fermentation and fœtid stools.

93

℞ Salol - - - - - - - - - - - gr. v
Spiritûs Chloroformi - - - - - ♏xx
Mucilaginis Acaciæ - - - - - ℥j
Aquam ad - - - - - - - - - ℥j
In Cholera Asiatica. Misce.

To be given every three or four hours.

94

℞ Pulveris Ergotæ - - - - - - ʒj
Extracti Krameriæ - - - - - ℈j
Extracti Belladonnæ - - - - - gr. v
Pulveris Digitalis - - - - - - gr. x
Divide in pilulas quādrāgintā. Misce.
Take 4 to 6 for a dose. *In Hæmoptysis.*

95

℞ Acidi Tannici - - - - - - - gr. x
Tinct. Opii - - - - - - - - ♏x
Olei Terebinthinæ - - - - - - ♏xv
Mucilaginis Acaciæ - - - - - ℈ij
Tinct. Chloroformi Compositæ - ♏xx
Aquam Menthæ Piperitæ ad - ℥j
Misce.
Fiat haustus. To be taken at bed-time.
Hæmorrhage in Typhoid.

96

℞ Argenti Nitratis - - - - - - gr. iij
Pulveris Opii - - - - - - - gr. vj
Pulveris Ipecacuanhæ - - - - gr. vj
Spiritûs Rect. - - - - - - - q.s.
Misce.
Divide in pilulas duodecem. One every four or six hours.
In Diarrhœa of Typhoid.

97

℞ Quin. Sulph - - - - - - - gr. ij
Tinct. Ferri Perchlor - - - - ♏x
Liquoris Arsenici Hydrochlorici ♏iij
Syrupi Zingiberis - - - - - ℥j
Aquam ad - - - - - - - - ℥jss

Fiat haustus. Misce.

Take two or three times a day after food.

In Purpura.

98

℞ Tinct. Catechu - - - - - - ℥iij
Pulveris Cretæ Aromatici - - ℥jss
Tinct. Opii - - - - - - - - ℥ss–j
Misturam Cretæ ad - - - - ℥vj

In Simple Diarrhœa. Misce.

Sumat ℥j post singulas liquidas sedes.

99

℞ Mag. Sulphatis - - - - - ℥j
Acidi Gallici - - - - - - ℥j
Tinct. Digitalis - - - - - ℥j
Extracti Ergotæ Liquidi - - - ℥ij
Infusum Rosæ Acidum ad - - ℥vj

Misce.

Take one ounce every two or three hours.

A valuable remedy in severe Hæmoptysis.

100

℞ Tinct. Matico - - - - - - - ℥vj
Syrupi Croci - - - - - - - ℥ij
Infusum Krameriæ ad - - - ℥viij
Misce.

Take half-an-ounce every three or four hours.

In Diarrhœa of Phthisis.

101

℞ Acidi Tannici - - - - - - - ʒss
Acidi Nitrici dil - - - - - - ʒj
Tinct. Lupuli - - - - - - - ʒij
Infusum Gentianæ Co. ad - - ℥vj
Misce.

℥j ter in die.

In Chronic Bronchitis, with profuse secretion.

102

℞ Pilulæ Plumbi cum Opio - - gr. jv
To be taken every two or three hours.

In Passive Hæmorrhages.

103

℞ Tinct. Opii - - - - - - - - ʒj
Olei Cajuputi - - - - - - - ♏xij
Tinct. Rhei - - - - - - - - ℥ss
Misturam Cretæ ad - - - - - ℥vj
Misce.

℥j post sedes liquidas.

In simple painful Diarrhœa.

104

℞ Tinct. Scillæ - - - - - - - ʒjss
Acidi Sulphurici Diluti - - - ʒjss
Tinct. Opii - - - - - - - - ʒss
Infusum Cascarillæ ad - - - ℥vj
Misce.

℥ss ter in die.

To check profuse secretion in Chronic Bronchitis.

105

℞ Chloroformi - - - - - - - ♏vj
Tinct. Camphoræ Compositæ - ʒij
Olei Ricini - - - - - - - - ʒiij
Mucilaginis Tragacanthæ - - ʒiij
Misce.

To be taken at once in Choleraic Diarrhœa.

106

℞ Aluminis Exsiccati - - - - - ʒj
Syrupi Rheados - - - - - - ℥vj
Infusum Rosæ Acidum ad - - ℥viij
Misce.

℥j ter in die.

In passive Hæmorrhages.

107

℞ Acidi Gallici - - - - - - - gr. vj
Extracti Cannabis Indicæ - - gr. ss
Confectionis Rosæ - - - - gr. j
Misce.

Make into a pill, to be taken every night.

In Night Sweats of Phthisis.

108

℞ Olei Terebinthinæ - - - - - - ♏x–xx
Misturæ Amygdalæ, - - - - - ℥j
Misce.

To be taken every hour.

In severe Hæmoptysis in weak persons.

109

℞ Olei Terebinthinæ - - - - - ʒij
Tinct. Lavandulæ Compositæ - ℥ss
Sacchari Purificati - - - - - ʒij
Pulveris Acaciæ - - - - - - ʒij
Aquam ad - - - - - - - - - ℥vj
Misce.

℥ss statim et repetetur quartâquâque horâ si opus sit.

In Hæmorrhage, Typhoid Fever, &c.

110

℞ Extracti Belæ Liquidi - - - ʒij
Decocti Hordei - - - - - - ℥jss
Misce.

Sumat post singulas sedes liquidas.

In Diarrhœa.

111

℞ Cupri Sulphatis - - - - - - gr. ss
Pulveris Opii - - - - - - - gr. ss
Confectionis Rosæ - - - - - q.s.
Misce.

Fiat pil. ter die sumenda.

In Chronic Diarrhœa and Dysentery.

112

℞ Pulveris Kino Compositi - - gr. x
Infusi Cascarillæ - - - - - - ℥vj
Aquæ Cinnamomi - - - - - - ℥ij
Syrupi Papaveris - - - - - - ℥j
Misce.

Haustus bis in die sumendus.
In Chronic Dysentery.

113

℞ Misturæ Cretæ - - - - - - - ℥vj
Pulveris Cretæ Aromatici - - ℥j
Extracti Opii Liq. - - - - - ♏xv
Aquam Cinnamomi ad - - - ℥jv
Misce.

A teaspoonful every hour.
(For a child 1 year old.)
In Diarrhœa.

114

℞ Argenti Nitratis - - - - - - gr. ¼–½
Aquæ Destillatæ - - - - - - ℥ij
Pulveris Acaciæ - - - - - - gr. xl
Sacchari Albi - - - - - - - ℥ij
Misce.

℥j bis vel tertiâquâque horâ.
In obstinate Diarrhœa.

115

℞ Tinct. Camphoræ Compositæ - ʒiij
Pulveris Cretæ Aromatici, - - ʒij
Syrupi Simplicis - - - - - ℥ss
Aquam Camphoræ ad - - - ℥vj
Misce.

℥j post sedes liquidas.

In Diarrhœa of Typhoid.

116

℞ Tinct. Ferri Perchloridi - - - ♏xv
Acidi Hydrochlorici Diluti - - ♏x
Olei Menthæ Piperitæ - - - ♏j
Infusi Quassiæ - - - - - - ℥jss
Misce.

Haustus ter in die.

In Hæmorrhage from the Stomach.

117

℞ Zinci Oxidi - - - - - - - gr. xij
Extracti Conii - - - - - - gr. xviij
Misce.

Divide into six pills. One every night.

For the relief of Night Sweats in Phthisis.

118

℞ Syrupi Papaveris - - - - - ℥jv
Bismuthi Subnitratis - - - - ℥j
Mucilaginis Tragacanthæ - - ℥jv
Aquam ad - - - - - - - - ℥viij
Misce.

℥jss ter in die.

In the Diarrhœa of Phthisis.

119

℞ Carbonis Ligni - - - - - ℥j
Theriacæ - - - - - - - - ℥j
Misce.

℥j ter in die.

In Chronic Diarrhœa with fœcal fermentation.

120

℞ Liquoris Ferri Pernitratis - - ℥jss
Syrupi Simplicis - - - - - ℥ss
Aquam Anethi ad - - - - - ℥vj
Misce.

Sumat ℥j ter in die.

In Dysentery with the following pill.

121

℞ Extracti Hæmatoxyli - - - - gr. v
Spiritûs Rectificati - - - - q.s.
Fiat pilula.

122

℞ Decocti Hæmatoxyli - - - - ℥j
Acidi Nitrici Diluti - - - - ♏x
Tinct. Opii - - - - - - - - ♏v
Haustus ter in die. Misce.
In Dysentery.

123

℞ Extracti Ergotæ Liquidi - - - ♏xl
Acidi Gallici - - - - - - - gr. x
Aquæ Carui - - - - - - - - ℥j
Haustus ter in die si opus sit. Misce.
In severe Hæmorrhage from the Stomach.

124

℞ Bismuthi Carbonatis - - - - gr. xv
Magnesii Carb. - - - - - - gr. xv
Mucilaginis Acaciæ - - - - ʒij
Aquæ Anethi - - - - - - - ℥j
Haustus ter in die si opus sit. Misce.
In Dyspeptic Diarrhœa.

Caustics and Counter Irritants.

125

℞ Zinci Chloridi - - - - - - - ℥j
Farinæ Tritici - - - - - - - q.s.
Make a paste (Fell's paste).

Useful for Cancer, &c.

126

℞ Acidi Arseniosi - - - - - - - gr. xij
Hydrargyri Subchloridi - - - ℥j
Misce.

Requires care. (Dupuytren's Powder.)

In Ulcerated Lupus.

127

℞ Cupri Sulphatis - - - - - - gr. x
Aquæ - - - - - - - - - - - ℥j
Misce.

Useful over Callous Sores, Syphilitic Sores, &c.

128

℞ Hydrargyri - - - - - - - - ℥j
Acidi Nitrici - - - - - - - ℥ij
Solve. Use a glass brush.

For Cancer, Lupus, Sloughing Ulcers, &c.

129

℞ Iodi - - - - - - - - - - - ℥j
Potassii Iodidi - - - - - - - ℥ss
Spiritûs Rectificati - - - - - - ℥j
Misce.

Apply with brush.

In Synovitis, Phthisis, &c.

130

℞ Antimonii Tartarati - - - - - gr. xl
Aquæ Rosæ - - - - - - - - ℥j
Tinct. Cantharidis - - - - - - ℥j
Misce.

Paint with a brush.

Useful as a Counter Irritant to the Chest in Phthisis.

131

℞ Zinci Chloridi - - - - - - - ℥j
Zinci Oxidi - - - - - - - - ℥j
Misce.

Preserve in a well-stopped bottle.

A Caustic Powder in Cancer, Lupus, &c.

132

℞ Zinci Chloridi - - - - gr. cccclxxx
Farinæ - - - - - - - gr. cxx vel q.s.
Liquoris Opii Sedativi - ℥j
Misce.

Caustic Paste (Lawson).

133

℞ Argenti Nitratis - - - - - - gr. x–xx
Aquæ Destillatæ - - - - - - ℥j
Misce.

To be applied with a brush to unhealthy sores.

134

℞ Antimonii Chloridi - - - - ℥j
Zinci Chloridi - - - - - - ℥j
Farinæ Tritici - - - - - - q.s.
Aquæ - - - - - - - - - - q.s.
Make a paste.

In Lupus, &c.

135

℞ Potassæ Causticæ - - - - - ℥j
Calcis - - - - - - - - - - ℥j
Spiritûs Rectificati - - - - - q.s.
Make a paste.

In Lupus, &c.

136

℞ Argenti Nitratis - - - - - ʒj
Aquæ Destillatæ - - - - - ℥j
Misce

In Rupia, Impetigo, &c.

137

℞ Acidi Arseniosi - - - - - - gr. x
Hydrargyri Persulphatis - - - gr. xl
Carbonis Animalis - - - - - gr. x
Misce.

In Ulcerated Lupus.

Diaphoretics and Diuretics.

138

℞ Potassii Nitratis - - - - - ʒj
Liquoris Ammonii Acetatis - - ℥ss
Vini Ipecacuanhæ - - - - - ʒj
Spiritûs Ammoniæ Aromatici - ʒij
Decoctum Hordei ad - - - - ℥vj
Misce.

℥j ter in die.

In Catarrh.

139

℞ Tinct. Guaiaci Ammoniatæ - - ʒiij–vj
Mucilaginis Tragacanthæ - - ℥iij
Infusi Senegæ - - - - - - ℥viij
Misce.

℥jss ter in die.

Diaphoretic Diuretic; Stimulant and Expectorant in Chronic Bronchitis.

140

℞ Potassii Nitratis - - - - -	gr. cxx
Acidi Nitrici Diluti - - - -	ʒj
Tinct. Digitalis - - - - - -	ʒss
Aquam Rosæ ad - - - - -	℥vj

Misce.

One ounce every four hours.

In Relapsing Fever (Murchison).

141

℞ Ammonii Carbonatis - - - -	gr. v
Spiritûs Chloroformi - - - -	♏x
Vini Colchici - - - - - - -	♏v
Liquoris Ammonii Acetatis - -	ʒiij
Mucilaginem Acaciæ ad - - -	℥jss

Misce.

The draught to be taken every four hours.

Useful in Pneumonia complicated with Gout.

142

℞ Potassii Acetatis - - - - - - ℥ss
Aceti Scillæ - - - - - - - - ℥ss
Spiritûs Ætheris Nitrosi - - - ♏xx
Tinct. Digitalis - - - - - - - ♏v
Decoctum Scoparii ad - - - ℥jss
Haustus ter in die sumendus. Misce.

In Dropsy due to Heart Disease.

143

℞ Pulveris Opii - - - - - - - gr. j
Potassii Nitratis - - - - - - gr. viij
Pulveris Ipecacuanhæ - - - - gr. j
The powder at bed-time. Misce.

In Simple Catarrh.

144

℞ Vini Ipecacuanhæ - - - - - - ℥j
Spiritûs Ætheris Nitrosi - - - ℥jss
Potassii Nitratis - - - - - - ʒss
Syrupi Mori - - - - - - - - ℥ss
Aquam ad - - - - - - - - - ℥jss
ʒj ter in die. Misce.
(For a child from 1 to 2 years old.)

In a slight Feverish attack.

145

℞ Vini Antimonialis - - - - -	♏xlv
Vini Ipecacuanhæ - - - - -	ʒj
Syrupi, Rhœados - - - - -	℥iij
Liquoris Ammonii Acetatis - -	ʒj
Aquam ad - - - - - - - -	℥iij

Misce.

ʒij omni horâ.

(For a child 2 or 3 years old.)

A Depressing Diaphoretic and Expectorant Mixture.

146

℞ Vini Ipecacuanhæ - - - - -	ʒjss
Syrupi - - - - - - - - -	℥ss
Tinct. Camphoræ Compositæ -	ʒiij
Liquoris Ammonii Citratis - -	℥ss
Aquam ad - - - - - - - -	℥ij

Misce.

Sumat ʒj secundâ vel tertiâquâque horâ.

(For children from 3 to 5 years old.)

In Fever, Catarrh, Pneumonia, &c

147

℞ Tinct. Scillæ - - - - - - - ʒij
Tinct Camphoræ Compositæ - ℥vj
Liquoris Ammonii Citratis - - ℥ij
Decoctum Scopari ad - . - - ℥viij
Misce.

Sumat ℥j ter in die.

Diuretic for Dropsy not due to Kidney Disease.

148

℞ Potassii Acetatis - - - - - - ʒjss
Spiritûs Ætheris Nitrosi - - - ʒij
Tinct. Digitalis - - - - - - ʒj
Tinct. Scillæ - - - - - - - ʒj
Infusum Digitalis ad - - - - ℥vj
Misce.

Sumat ℥ss ter in die. (Where there is diminished arterial pressure.)

In Dropsy due to Heart Disease.

149

℞ Vini Antimonialis - - - - - ℥ij
Liquoris Ammonii Citratis - - ℥iv
Syrupi Hemidesmi - - - - ℥iij
Aquam ad - - - - - - - - ℥jv
Misce.

Dose—One dessert-spoonful three times a day for children between 2 and 4 years.

In Simple Catarrh.

150

℞ Olei Copaibæ - - - - - - ℥ij
Liquoris Potassæ - - - - - ℥j
Tinct. Lavandulæ Compositæ - ℥iij
Aquam Camphoræ ad - - - ℥viij
℥j ter in die. Misce.

In Gonorrhœa.

151

℞ Pulveris Digitalis - - - - gr. xij
Pulveris Scillæ - - - - - gr. xij
Extracti Taraxaci - - - - gr. xxxvj
Misce.

Divide into twelve pills; one to be taken twice daily.

As a Diuretic in Mitral, but dangerous in Aortic, Disease. (Dr Tanner).

152

℞ Pilocarpinæ Nitratis - - - - gr. ½
Aquæ - - - - - - - - - ℥j
Misce.

Five minims hypodermically. (Used with great success in the case of a child 3 years old.)

In Œdema of the Lung (A. Weber).

153

℞ Olei Juniperi - - - - - - ♏xx
Syrupi Hemidesmi - - - - ℥ss
Mucilaginis Acaciæ - - - - ℥jv
Decoctum Taraxaci ad - - - ℥viij
Misce.

℥j ter in die.

Diuretic and Diaphoretic.

154

℞ Acidi Salicylici - - - - - ℥j
Liquoris Ammonii Acetatis - - ℥ij
Aquam Chloroformi ad - - - ℥vj
Misce.

℥j quartâquâque horâ.

In Rheumatic Fever.

155

℞ Sodii Salicylatis - - - - - ℥jss
Syrupi Simplicis - - - - - ℥j
Aquam ad - - - - - - - - ℥vj
Misce.

Two table-spoonfuls every two hours for four doses, and then every four hours.

In Rheumatic Fever.

156

℞ Extracti Taraxaci Liquidi - - ʒiij
Syrupi Aurantii - - - - - ℥jv
Potassii Iodidi - - - - - - gr. xij
Spiritûs Ætheris Nitrosi - - - ʒj
Potassii Nitratis - - - - - gr. xxx
Tinct. Scillæ - - - - - - ♏xxx
Tinct. Digitalis - - - - - ♏xxjv
Aquam ad - - - - - - - - ℥viij
Misce.

℥ss quartâquâque horâ.

(For a child 6 years old.)

A good Diuretic.

Emetics and Expectorants.

157

℞ Vini Ipecacuanhæ - - - - - ℥j

To be given at once, and followed by a teacupful of warm water.

Emetic for Children.

158

℞ Cupri Sulphatis - - - - - gr. v–x
Aquæ - - - - - - - - - - ℥iij
Misce

To be given at once, and repeated, if necessary, in half-an-hour.

Emetic in Poisoning.

159

℞ Ammonii Carbonatis - - - - gr. xii
Tinct. Scillæ - - - - - - ♏xvj
Syrupi Tolutani - - - - - ℥iij
Infusum Senegæ ad - - - - ℥iij
℥ij quartâquâque horâ. Misce.

(For a child 2 or 3 years old.)

In Chronic Bronchitis.

160

℞ Vini Ipecacuanhæ - - - - - - ʒj
Spiritûs Ætheris Nitrosi - - - ʒj
Liquoris Ammonii Acetatis - - ʒj
Syrupi - - - - - - - - - ℥iij
Aquam Anethi ad - - - - - - ℥jss
Misce.

ʒj quartâquâque horâ.
(For a child 1 year old.)

In early stages of Bronchitis.

161

℞ Zinci Sulphatis - - - - - - gr. x–xxx
Aquam ad - - - - - - - - ℥iij
Misce.

Emetic in Poisoning.

162

℞ Pulveris Sinapis - - - - - - ℥ss
Aquam ad - - - - - - - - ℥iij
Misce.

A very useful Emetic in Alcoholic Poisoning.

163

℞ Ammonii Carbonatis - - - - ℥ss
Spiritûs Ætheris - - - - - ℥iij
Tinct. Scillæ - - - - - - - ℥jss
Tinct. Camphoræ Compositæ - ℥iij
Tinct. Lavandulæ Compositæ - ℥jv
Infusum Senegæ ad - - - - ℥viij

Miscc.

℥j ter in die.

In Chronic Bronchitis.

164

℞ Succi Conii - - - - - - - - ℥j
Acidi Hydrocyanici Diluti - - ♏x
Vini Ipecacuanhæ - - - - ℥j
Syrupii - - - - - - - - - ℥ss
Aquam ad - - - - - - - - ℥jss

Misce.

Sumat ℥j quartâquâque horâ.

(For a child 2 years old.)

In Whooping-Cough.

165

℞ Tinct. Lobeliæ Æthereæ - - ʒiij
Syrupi Rhœados - - - - - - ℥vj
Succi Conii - - - - - - - - ʒij
Misturam Amygdalæ ad - - - ℥vj
Misce.

ʒj every four hours.

In Spasmodic Cough and Asthma.

166

℞ Vini Ipecacuanhæ - - - - - ♏xx
Spiritûs Ammoniæ Aromatici - ♏v
Syrupi - - - - - - - - - ʒiij
Aquam Anethi ad - - - - - - ℥jss
Misce.

ʒj ter in die.
(For a child 6 months old.)

In Catarrh, Bronchitis, &c.

167

℞ Pilulæ Scillæ Compositæ - - ʒss
Extracti Conii - - - - - - - ʒss
Misce.

Divide into twelve pills. One or two daily.

In Chronic Cough.

168

℞ Infusi Senegæ - - - - - - - ℥iij
Misturæ Amygdalæ - - - - - ℥vj
Tinct. Opii - - - - - - - - - ♏viij
Misce.

℥j ter in die.

In Chronic Cough.

169

℞ Vini Ipecacuanhæ - - - - - - ʒij
Aquæ - - - - - - - - - - ℥j
Mucilaginis Acaciæ - - - - - ℥ss
Syrupi Limonis - - - - - - ʒj
Syrupi Papaveris - - - - - - ʒj
Misce.

ʒj–ʒij secundis horis.

For Catarrh in Children.

170

℞ Infusi Senegæ - - - - - - - ℥j
Liquoris Ammonii Acetatis - - ℥ss
Syrupi Scillæ - - - - - - - - ʒij
Syrupi Papaveris - - - - - - ʒij
Misce.

ʒj ter in die.

For Bronchitis in Young Children.

171

℞ Tinct. Camphoræ Compositæ - ℥iij
Vini Ipecacuanhæ - - - - - ℥ij
Liquoris Ammonii Acetatis - - ℥ss
Infusum Gentianæ Co. ad - - ℥vj
Misce.

Sumat ℥j ter in die.

Expectorant and Tonic in Chronic Bronchitis.

172

℞ Pilulæ Scillæ Compositæ - - - gr. v
Unam nocte maneque.

Expectorant in Chronic Bronchitis.

173

℞ Oxymellis Scillæ - - - - - ℥ij
Syrupi Papaveris - - - - - ℥j
Tinct. Camphoræ Compositæ - ℥ss
Tinct. Lobeliæ Æthereæ - - - ℥ss
Misturæ Ammoniaci - - - - ℥j
Misce.

Haustus.

In the fit of Asthma.

174

℞ Oxymellis Scillæ - - - - - - ℥j
Vini Antimonialis - - - - - - ℥ij
Misce.

A teaspoonful every 10 or 15 minutes till sickness is produced.

In Catarrhal affections of Children.

175

℞ Ammonii Chloridi - - - - - - gr. x
Spiritûs Chloroformi - - - - - ♏xx
Vini Antimonialis - - - - - - ♏x
Aquam Camphoræ ad - - - - - ℥jss
Misce.

Fiat Haustus. Sumat ter in die.

In Chronic Bronchitis.

176

℞ Tinct. Camphoræ Compositæ - ℥ss
Syrupi Tolutani - - - - - - - ℥j
Misturam Ammoniaci ad - - - ℥vj
Misce.

℥ss ter in die.

In Cough.

177

℞ Ammonii Carbonatis - - - - - ʒj
Tinct. Digitalis - - - - - - - ʒj
Tinct. Camphoræ Compositæ - ʒiij
Misturam Amygdalæ ad - - - ℥vj
Sumat ℥j ter in die. Misce.
In Chronic Bronchitis with Heart Disease.

178

℞ Tinct. Camphoræ Compositæ - ʒiij
Spiritûs Ætheris - - - - - - ʒij
Tinct. Scillæ - - - - - - - - ʒj
Syrupi - - - - - - - - - - - ℥ss
Aquam ad - - - - - - - - - - ℥vj
℥j ter in die. Misce.
In Bronchitis and Asthma.

179

℞ Succi Belladonnæ - - - - - - ʒj
Acidi Hydrocyanici Diluti - - ♏x
Vini Ipecacuanhæ - - - - - - ʒj
Syrupi - - - - - - - - - - - ℥ss
Aquam ad - - - - - - - - - - ℥jss
ʒj ter in die. Misce.
(For a child from 2 to 3 years old.)
In Whooping-Cough.

180

℞ Ammonii Bromidi - - - - -	gr. xij
Vini Ipecacuanhæ - - - - -	ʒj
Succi Conii - - - - - - - -	ʒss
Syrupi - - - - - - - - - -	ʒiij
Aquam ad- - - - - - - - -	℥jss

Misce.

ʒj ter in die.

(For a child from 1 to 2 years old.)

In Whooping or other Spasmodic Cough.

Gargles and Inhalations.

181

℞ Aluminis Exsiccati - - - - - - ʒj
Infusum Rosæ Acidum ad - - ℥vj
Misce.

Simple Gargle in Relaxed Throat.

182

℞ Potassii Chloratis - - - - - - ʒjss
Acidi Hydrochlorici Diluti - - ♏xl
Glycerini - - - - - - - - - - ℥j
Aquam ad - - - - - - - - - - ℥xx

Gargle in Scarlet Fever.

183

℞ Liquoris Sodæ Chlorinatæ - - ʒjv
Aquam ad - - - - - - - - - - ℥viij
Misce.

Gargle in Scarlet Fever.

184

℞ Zinci Sulphatis - - - - - - - gr. xv
Syrupi Mori - - - - - - - - ʒjv
Glycerini - - - - - - - - - ℥j
Infusum Krameriæ ad - - - - ℥viij
Misce.

Gargle in Relaxed Throat.

185

℞ Aluminis - - - - - - - - - ʒij
Tinct. Myrrhæ - - - - - - - ℥j
Aquam ad - - - - - - - - - ℥viij
Misce.

Gargle in Mercurial Salivation.

186

℞ Aluminis - - - - - - - - - ʒjss
Tinct. Capsici - - - - - - - ʒij
Infusum Rosæ Acidum ad - - ℥viij
Misce.

Gargle in Relaxed Uvula and Tonsils.

187

℞ Creosoti - - - - - - - - - ♏xx
Tinct. Lavandulæ Compositæ - ʒjv
Tinct. Myrrhæ - - - - - - - ʒjv
Syrupi - - - - - - - - - - - ʒjss
Aquam ad - - - - - - - - - ℥viij
Misce.

Gargle in Clergyman's Sore Throat.

188

℞ Glycerini Acidi Carbolici - - - ʒiij
Chloroformi - - - - - - - - ♏viij
Succi Conii - - - - - - - - ʒii
Aquam Bullientem ad - - - - ℥viij
Misce.

Fiat inhalatio.

In Phthisis.

189

℞ Ætheris - - - - - - - - - ℥j
Olei Terebinthinæ - - - - - ʒjv
Acidi Benzoici - - - - - - ʒjv
Balsami Tolutani - - - - - ʒij
Misce.

Fiat inhalatio.

In Asthma.

190

℞ Acidi Tannici - - - - - - - ℥ss
Glycerini - - - - - - - - - ℥jv
Misce.

Paint the throat with a brush.

In Relaxed Throat when gargling is difficult.

191

℞ Boracis - - - - - - - - - - ʒj
Glycerini - - - - - - - - - ℥ij
Aquæ Rosæ - - - - - - - - ℥jv
Misce.

Paint over mouth.

In Apthæ.

192

℞ Sodii Sulphitis - - - - - - - gr. lx
Aquæ - - - - - - - - - - - ℥j
Misce.

(Wash for the mouth.)

In Apthæ.

193

℞ Hydrargyri Perchloridi - - - gr. ij
Acidi Nitrici Diluti - - - - - ♏xxx
Tinct. Myrrhæ - - - - - - - ℥j
Aquam ad - - - - - - - - - ℥viij
Misce.

Make a gargle.

In Syphilitic affections of the Mouth.

194

℞ Vapor Coninæ - - - - - - ℥j

Take twenty drops, place in a vessel of boiling water, and inhale the steam.

In the Cough of Phthisis.

195

℞ Creosoti - - - - - - - - - ♏xxx
Aquæ Bullientis - - - - - - Oss.

For Inhalation.

In Phthisis, Ozæna, &c.

196

℞ Olei Terebinthinæ - - - - - ℥j
Aquam Calidam ad - - - - ℥vj
Misce.

As an inhalation.

In Chronic Bronchitis, with great secretion.

197

℞ Acidi Hydrocyanici Diluti - - ♏xx
Tinct. Hyoscyami - - - - - ℥j
Tinct. Lupuli - - - - - - ℥j
Aquam Calidam ad - - - - ℥viij
Misce.

As an inhalation.

In Phthisis, Ulceration of Larynx, &c.

Lotions, Liniments, Ointments, &c.

198

℞ Spiritûs Rectificati - - - - - ℥j
Acidi Acetici Diluti - - - - ℥j
Ammonii Chloridi - - - - - ʒiij
Aquæ - - - - - - - - - - - Oj
Misce.

A good Lotion for Orchitis, &c.

199

℞ Plumbi Nitratis - - - - - - - ʒj
Aquam ad - - - - - - - - - - Oj
Misce.

A good Lotion for Foul Ulcers, Cancers, &c.

200

℞ Extracti Conii - - - - - - - ʒj
Aquam ad - - - - - - - - - - ℥iij
Misce.

Macerate for two hours and strain.

For Painful Sores.

201

℞ Liquoris Zinci Chloridi - - - ʒij
Aquam ad - - - - - - - - - ℥viij
Misce.

The best Lotion for Cancer of the Womb.

202

℞ Acidi Carbolici - - - - - - - ʒj
Glycerini - - - - - - - - - ℥j
Aquam ad - - - - - - - - - ℥viij
Misce.

For Sores, or Injecting the Womb after Bad Delivery.

203

℞ Vini Colchici - - - - - - - - ℥ss
Tinct. Opii - - - - - - - - ℥ss
Sodii Carbonatis - - - - - - ℥ss
Misce.

To be sprinkled on cloths wrung out of hot water, and applied to the joints.

In Gout.

204

℞ Cupri Sulphatis - - - - - - - ʒj
Unguenti Simplicis - - - - - - ℥j
Misce.

Fiat unguentum. (Dilute if too strong.)

In Callous Ulcers.

205

℞ Naphthol - - - - - - - - - - gr. x
Sulphuris Præcipitati - - - - - gr. l
Saponis Mollis - - - - - - - gr. xx
Vaselini - - - - - - - - - - gr. xx
Misce.

Fiat unguentum.

In Acne.

206

℞ Pulveris Cretæ - - - - - - - gr. v
β Naphthol - - - - - - - - - gr. x
Camphor - - - - - - - - - - gr. x
Vaselini - - - - - - - - - - gr. x
Saponis Viridis - - - - - - - gr. xv
Sulphuris Præcipitati - - - - - gr. l
Misce.

Fiat unguentum.

In Acne.

207

℞ Bismuthi Subnitratis - - - - - ʒjv
Zinci Oxidi . - - - - - - - ℥j
Acidi Carbolici Liquefacti - - ʒss
Vaselini Albi - - - - - - - - ℥ij
Misce.

Fiat unguentum.

In Eczema.

208

℞ Zinci Oxidi - - - - - - - - - ʒj
Amyli - - - - - - - - - - - ℥iij
Misce.

To be dusted on the part affected.

In Eczema in Children.

209

℞ Sulphuris Præcipitati - - - - - ℥j–ʒjss
Glycerini - - - - - - - - - - ℥j
Spiritûs Rectificati - - - - - - ℥ss
Aquam Rosæ ad - - - - - - - ℥jv
Misce.

After steaming face, paint lotion on at night.

In Acne.

210

℞ Spiritûs Rectificati - - - - - - ℥j
Tinct. Cantharidis - - - - - - ʒij
Tinct. Capsici - - - - - - - ʒij
Spiritûs Rosmarini - - - - - - ℥j
Liquoris Ammoniæ Fortis - - ℥ij
Misce.

In Alopecia.

211

℞ Olei Sinapis - - - - - - - - ʒj
Olei Ricini - - - - - - - - ʒij
Spiritûs Rosmarini ad - - - - ℥jv
Misce.

Paint on once or twice a day.

In Alopecia.

212

℞ Sulphuris Sublimati - - - - ʒj
Balsami Peruviani - - - - - ℥ss
Adipis - - - - - - - - - ℥j
Misce.

Fiat unguentum.

In Scabies.

213

℞ Cocainæ Hydrochloridi - - - gr. xx
Morphinæ Hydrochloridi - - gr. v
Atropinæ Sulphatis - - - - gr. jv
Pulveris Acidi Tannici - - - gr. xx
Vaselini - - - - - - - - - ℥ss
Olei Rosæ - - - - - - - - q.s.
Misce.

Apply after each evacuation of the bowels.

In Hæmorrhoids.

214

℞ Boracis - - - - - - - - gr. lx–cxx
Glycerini - - - - - - - - ℥j
Aquam Sambuci ad - - - ℥viij
Misce.

Lotion for Squamous Diseases of the Skin.

215

℞ Aluminis - - - - - - - - - gr. jv
Aquam ad - - - - - - - - ℥j
Misce.

Use two or three drops twice a day, or oftener if necessary.

A useful Lotion for Inflammation of the Eyes.

216

℞ Acidi Hydrocyanici Diluti - - ʒiij
Plumbi Acetatis - - - - - gr. lx
Spiritûs Rectificati - - - - - ℥j
Aquam Sambuci ad - - - - ℥viij
Misce.

The skin must not be wounded.

Useful in Prurigo, &c., with much Itching.

217

℞ Liquoris Ammonii Acetatis - - ℥j
Acidi Hydrocyanici Diluti - - ʒjss
Infusum Tabaci ad - - - - ℥viij
Misce.

Sponge the part twice a day.

Useful in Pruritus of the Anus and Vulva.

218

℞ Liquoris Plumbi Subacetatis - ʒj
Glycerini - - - - - - - - - ℥ss
Aquam ad - - - - - - - - ℥vj
Misce.

As a Lotion in Acute Eczema.

219

℞ Tinct. Cantharidis - - - - - ʒj
Glycerini - - - - - - - - - ℥jss
Acidi Acetici Diluti - - - - ℥jss
Spiritûs Rosmarini - - - - ℥jss
Aquæ Rosæ - - - - - - - - ʒviij

A most valuable application. Misce.

In Alopecia not of a Parasitic Origin.

220

℞ Collodii Flexilis - - - - - ʒv
Ætheris - - - - - - - - - ʒv
Acidi Salicylici - - - - - - ʒjv
Morphinæ Hydrochlor. - - - ʒj

Paint over painful part. Misce.

In Gout.

221

℞ Ichthyol - - - - - - - - - ʒj
Lanolini - - - - - - - - - ℥jss
Glycerini - - - - - - - - ℥jss
Olei Olivæ - - - - - - - - ʒijss

Misce.

Apply to nipples, wash off before nursing.

In Sore Nipples.

222

℞ Creosoti - - - - - - - - - ʒj
Adipis Benzoati - - - - - - ℥ij
Camphoræ - - - - - - - - ʒj
Misce.

Fiat unguentum.

In Pruritus Ani.

223

℞ Ung. Aconitinæ - - - - - - ℥j
Misce

In Facial Neuralgia.

224

℞ Potassii Iodidi - - - - - - - gr. x
Tincturæ Iodi - - - - - - - ʒj
Cocainæ Hydrochloridi - - - gr. xx
Spiritûs Rectificati - - - - - ʒj
Glycerine ad - - - - - - - ℥j
Misce

Useful in Abrasions of Mucous Membranes, Diphtheria, Mucous Patches, &c.

225

℞ Resorcin - - - - - - - - - gr. jss
Liquoris Cocainæ Hydrochloridi ʒvij
Morphinæ Hydrochloridi - - gr. ⅙
Aquæ Destillatæ - - - - - - ℥ijss
Misce.

For external use by instillation.

For Congestive and Inflammatory Conditions of the Ears.

226

℞ Sodii Hyposulphitis - - - - - ʒij
Glycerini - - - - - - - - - - ℥ss
Aquam Rosæ ad - - - - - - ℥jv
Misce.

A Lotion in Tinea.

227

℞ Liquoris Carbonis Detergens - ℥ss
Acidi Hydrocyanici Diluti - - ʒj
Glycerini - - - - - - - - - - ʒij
Aquam ad - - - - - - - - - Oss
Misce.

Useful in Eczema and Pruritus.

228

℞ Acidi Sulphurosi - - - - - - ℥jv
Aquam Destillatam ad - - - ℥viij
Misce.

A Lotion in all Parasitic Diseases.

229

℞ Zinci Sulph. - - - - - - - - gr. xxx
Zinci Oxidi - - - - - - - - gr. lx
Pulveris Acaciæ - - - - - - ʒij
Aquam Sambuci ad - - - - - Oj
Misce.

Useful in Eczema.

230

℞ Atropinæ Sulphatis - - - - - gr. ij
Aquæ Destillatæ - - - - - - ℥ss
Misce.

A Drop to dilate the Pupil in Iritis.

231

℞ Linimenti Camphor. Ammoniati ℥jss
Linimenti Belladonnæ - - - - ℥jss
Misce.

Useful in Lumbago.

232

℞ Linimenti Belladonnæ, Linimenti
Aconiti āā - - - - - - - - ℥jss
Misce.

Useful in Neuralgia, Pleurodynia, &c.

233

℞ Linimenti Belladonnæ - - - ℥j
Linimenti Opii - - - - - - - ℥j
Linimenti Terebinthinæ - - - ʒij
Misce.

In Chronic Rheumatism, &c.

234

℞ Cocainæ Hydrochloridi - - - gr. x
Acid Borici - - - - - - - - gr. jv
Glycerini - - - - - - - - - ♏xv
Aquam Destillatam ad - - - ℥j
Misce.

Fiat applicatio.

In Dysphagia of Laryngeal Tuberculosis.

235

℞ Thymol - - - - - - - - - ʒss
Chloroformi - - - - - - - - ʒij
Olei Olivæ - - - - - - - - ʒvss
Misce.

Fiat applicatio.

In recent Ringworm.

236

℞ Linimenti Opii - - - - - - - ℥j
Linimenti Belladonnæ, Linimenti Hydrargyri, āā - - - ℥j
Misce.

In Syphilitic Tubercles, Nodes, &c.

237

℞ Olei Morrhuæ - - - - - - - ℥iijss
Spiritûs Ammoniæ Aromatici - ℥j
Tinct. Opii - - - - - - - - ʒjv
Olei Cajuputi - - - - - - - ʒj
Misce.

To be rubbed over the abdomen when cod-liver oil cannot be borne by the stomach.

In Phthisis.

238

℞ Bismuthi Subnitratis - - - - ʒj
Unguenti Simplicis - - - - ℥j

Misce.

A useful Ointment in Strumous Sores.

239

℞ Acidi Carbolici - - - - - - gr. lx
Unguenti Zinci - - - - - - ℥j

Misce.

Useful in Eczema, Psoriasis, &c.

240

℞ Camphoræ - - - - - - - - gr. lx
Spiritûs Rectificati - - - - - q.s.
Hydrargyri Subchloridi - - - gr. xl
Adipis - - - - - - - - - ℥j

Misce.

In Pruritus of Vulva, &c.

241

℞ Plumbi Acetatis - - - - - - gr. x
Zinci Oxidi - - - - - - - - gr. xx
Hydrargyri Subchloridi - - - gr. xx
Unguenti Hydrargyri Nitratis - gr. xx
Adipis Recentis - - - - - ℥ss]
Olei Palmæ Purificati - - - - ℥ss
Misce.

In Eczema Capitis, &c.

242

℞ Unguenti Sulphuris - - - - ℥j
Tinct. Lavandulæ Compositæ - ℥j
Misce.

In Scabies.

243

℞ Acidi Hydrocyanici Diluti - - ♏xl
Olei Cadini - - - - - - - - ℥j
Saponis Mollis - - - - - - - ℥ij
Olei Rosmarini - - - - - - - ʒjss
Aquam ad - - - - - - - - - ℥viij
Fiat lotio. Misce.

(To be rubbed over the parts affected night and morning.)

In Chronic Eczema, Psoriasis.

244

℞ Olei Amygdalæ Dulcis - - - ℥j
Liquoris Ammoniæ Fortis - - ℥j
Spiritûs Rosmarini - - - - ℥jv
Aquæ - - - - - - - - - - - ℥ij
A stimulant lotion for the hair. Misce.

In Alopecia.

245

℞ Atropinæ Sulphatis - - - - gr. j
Boracis - - - - - - - - - gr. cxx
Glycerini - - - - - - - - - ℥ss
Acidi Hydrocyanici Diluti - - ℥j
Aquæ Aurantii Floris - - - - ℥ij
Aquam ad - - - - - - - - ℥xij
Useful to allay Itching, &c. Misce.

246

℞ Calaminæ Præparatæ - - - - ℥j
Cretæ Præparatæ - - - - - ℥j
Glycerini - - - - - - - - - ℥iij
Acidi Hydrocyanici Diluti - - ℥s
Liquoris Calcis - - - - - - ℥iij
Aquam Rosæ ad - - - - - ℥viij
Fiat lotio. Misce.

In Eczema and Acne (Startin).

247

℞ Olei Succini - - - - - - - - ℥ss
Olei Olivæ - - - - - - - - ℥ss
Olei Caryophylli - - - - - - ʒj
Misce.

Fiat linimentum.

(A substitute for Roche's embrocation.)

Useful in Whooping-Cough when rubbed down the Spine.

248

℞ Creosoti - - - - - - - - - ♏vj
Unguenti Hydrargyri - - - - gr. xxx
Hydrargyri Oxidi Rubri - - - gr. xx
Adipis Recentis - - - - - - ℥j
Misce.

In Parasitic and other Skin Diseases.

249

℞ Cretæ Præparatæ - - - - - - ʒj
Adipis Benzoati - - - - - - ℥j
Misce.

(When more stimulating applications irritate.)

In Eczema.

250

℞ Glycerini Acidi Carbolici - -
Sulphuris Præcipitati, Spiritûs
Rectificati - - - - - - - āā, ℥ij
Misce.

To be applied every night.

In Acne Rosacea (Hebra).

251

℞ Unguenti Zinci Benzoati - - - ℥j
Spiritûs Rectificati - - - - - ℥ij
Misce.

In Eczema (Erasmus Wilson).

252

℞ Boracis - - - - - - - - - ʒj
Liquoris Plumbi Subacetatis - ♏xxx
Glycerini - - - - - - - - - ʒij
Aquam ad - - - - - - - - ℥viij
Misce.

Fiat lotio.

In Eczema of the Face and Eyelids.

253

℞ Aluminis - - - - - - - - - gr. xxjv
Atropinæ Sulphatis - - - - gr. j
Aquæ Destillatæ - - - - - ℥viij
Misce.

Fiat lotio.

In Iritis.

254

℞ Argenti Nitratis - - - - - gr. j–jv
Aquæ Destillatæ - - - - - ℥j
Misce.

In Conjunctivitis, &c.

Narcotics and Sedatives.

255

℞ Liq. Morphinæ Hydrochloridi - ʒjss
Acidi Phosphorici Diluti - - - ʒj
Acidi Hydrocyanici Diluti - - ♏xij
Syrupi Rhœados - - - - - - ℥ss
Aquam ad - - - - - - - - - ℥jss
Misce.

ʒj tusse urgenti.

A most useful Cough Medicine in Phthisis.

256

℞ Chloral Hydratis - - - - - - gr. x
Potassii Bromidi - - - - - - gr. x
Syrupi Aurantii - - - - - - - ℥ss
Aquæ - - - - - - - - - - - - ℥j
Misce.

To be taken at bed-time. May be given thrice daily.

A good Sedative in Nervous Excitement.

257

℞ Extracti Cannabis Indicæ - - gr. ¼–j
Confectionis Rosæ - - - - - - q.s.
Misce.

Fiat pilula. (Take one at bed-time.)

In Sleeplessness of Neuralgic Headache (Day).

258

℞ Tinct. Opii, - - - - - - - - ʒj
Potassii Bromidi, - - - - - - ʒjss
Syrupi Rhœados, - - - - - - ℥j
Aquam ad - - - - - - - - - ℥vj
Misce.

Sumat ℥j ter in die.

In Insomnia.

259

℞ Tinct. Opii, - - - - - - - - ♏j
Mucilaginis Acaciæ, - - - - - ʒij
Syrupi Simplicis, - - - - - - ʒij
Aquam Anethi ad - - - - - - ℥j
Misce.

ʒj bis terve in die.

For Infants in Insomnia.

260

℞ Amyl Nitris, - - - - - - - ♏xxxv
Ethylic Alcohol (Sp. gr. ·834), - ℥v
Glycerini, - - - - - - - - - ℥jss
Misce.

Sig. ℥j in warm water.

During the Paroxysm of Angina Pectoris.

261

℞ Phenacetin, - - - - - - - - gr. x–xv

Sig. to be placed on the tongue.

In Headache and Neuralgia.

262

℞ Cocainæ Hydrochloridi, - - - gr. jss
Tinct. Conii, - - - - - - - - ʒij
Syrupi, - - - - - - - - - - ʒij
Misce.

Rub on the gums several times daily.

In Painful Dentition.

263

℞ Morphinæ Sulphatis, - - - - gr. j
Chloral Hydratis, - - - - - ʒjss
Potassii Bromidi, - - - - - ʒij
Syrupi, - - - - - - - - - ℥jv
Aquæ, - - - - - - - - - ℥ijss
Misce.

Sumat ℥ss tertiâquâque horâ si opus sit.

In Epididymitis.

264

℞ Antipyrin, - - - - - - - - gr. lxxv
Cocainæ Hydrochloridi, - - - gr. jss
Caffeinæ, - - - - - - - - - gr. jv
Strychninæ Sulphatis, - - - - gr. $\frac{1}{30}$
Spiritûs Vini Gallici, - - - - ʒijss
Aquam Destillatam ad - - - ℥iij.
Misce.

Sig. A table-spoonful before embarking, and others during the day, or three times during twenty-four hours.

In Sea-sickness.

265

℞ Liquoris Arsenicalis, - - - - ♏j-vel ij
Aquam ad - - - - - - - - ℥ss
Misce.

To be taken before food.

To check Pain and Vomiting in Gastric Ulcer (Ringer).

266

℞ Quininæ Sulphatis, - - - - gr. j
Camphoræ, - - - - - - - - gr. j
Extracti Hyoscyami, - - - - gr. j
Confectionis Rosæ, - - - - q.s.
Misce.

Fiat pilula. (Take thrice daily.)

In Neuralgic Headache.

267

℞ Tinct. Belladonnæ, - - - - ʒj
Tinct. Conii, - - - - - - ʒij
Vini Ipecacuanhæ, - - - - - ʒjss
Aquam Chloroformi ad - - - ℥vj
Misce.

ʒj ter in die.

A Sedative in irritable Coughs.

268

℞ Tinct. Camphoræ Compositæ, - ʒiij
Vini Ipecacuanhæ, - - - - - ʒj
Acidi Hydrocyanici Diluti, - - ♏xij
Syrupi Scillæ, - - - - - - - ℥ss
Aquam ad - - - - - - - - - ℥vj
℥j ter in die. Misce.

A good Cough Mixture.

269

℞ Pulveris Ipecacuanhæ Compositi, gr. j
Sacchari Albi, - - - - - - - gr. xx.
Misce.

Divide into four powders. One to be given occasionally. (For infants from 1 to 4 weeks old.)

In Insomnia.

270

℞ Tinct. Digitalis, - - - - - - ♏v–x
Acidi Hydrocyanici Diluti, - - ♏iij
Tinct. Opii, - - - - - - - - ♏v
Aquam Camphoræ ad - - - ʒj
Misce.

Take three times a day.

Sedative in Heart Disease.

271

℞ Liq. Morphinæ Hydrochloridi, - ♏xx
Chloroformi, - - - - - - - ♏v
Tinct. Cannabis Indicæ, - - - ♏xv
Pulveris Tragacanthæ Co., - - gr. xxx
Spiritûs Ætheris, - - - - - ♏xl
Acidi Hydrocyanici Diluti, - - ♏jv
Aquam ad - - - - - - - - ℥jss
Misce.

Haustus. (A substitute for chlorodyne.)
In Cough, Colic.

272

℞ Liquoris Arsenicalis, - - - - ♏j
Tinct. Capsici, - - - - - - - ♏j
Aquam ad - - - - - - - - ℥j
Misce.

Sig. Take every hour.
In Acute Alcoholism with Vomiting.

273

℞ Tinct. Gelsemii, - - - - - - ♏x–xv
Aquæ Camphoræ, - - - - - - ℥j
Misce.

Sumat quârtâquâque horâ si opus sit.
In Organic Headache.

274

℞ Chloral Hydratis, - - - - - - ʒj
Potassii Bromidi, - - - - - - ʒj
Potassii Bicarbonatis, - - - - - ʒj
Aquam Menthæ Piperitæ ad - - ℥vj
Misce.

Sumat ℥ss ter in die.

In Obstinate Hiccough.

275

℞ Potassii Iodidi, - - - - - - - gr. v
Tinct. Cannabis Indicæ, - - - ♏x
Infusum Calumbæ ad - - - - ℥j
Misce.

Sumat ter in die.

In Organic Syphilitic Headache.

276

℞ Chloral Hydratis, - - - - - - ʒjss
Potassii Bromidi, - - - - - - ʒij
Spiritûs Ætheris Co., - - - - - ʒij
Tinct. Valerianæ, - - - - - - ʒiij
Aquam ad - - - - - - - - - ℥vj
Misce.

Sumat ℥ss bis vel tertiâquâque horâ.

In early stage of Delirium Tremens.

277

℞ Tinct. Opii, - - - - - - - - ʒjss
Spiritûs Ætheris Nitrosi, - - ʒij
Aquam Camphoræ ad - - - - ℥vj
Misce.

Sumat ℥j quartâquâque horâ.

To check After-Pains.

278

℞ Liq. Morphinæ Hydrochloridi, - ♏xv
Spiritûs Ammoniæ Fœtidi, - - ʒss
Aquam Camphoræ ad - - - - ℥jss
Misce.

Haustus statim sumendus.

To prevent nervous Shock after Labour.

279

℞ Extracti Hyoscyami, - - - - gr. xx
Camphoræ, - - - - - - - - gr. xx
Lupulini, - - - - - - - - gr. xx
Misce.

Divide into twelve pills. Two at bed-time.

In Sleeplessness in Hysterical Patients.

280

℞ Codeinæ, - - - - - - - - - gr. ss
Pilulæ Galbani Compositæ, - - gr. v
Misce.

Fiat pilula. At bed-time.

In Spasmodic Cough (Tanner).

281

℞ Tinct. Veratri Viridis, - - - ♏v
Aquæ, - - - - - - - - - ℥
Misce.

To be taken every three hours, increasing the Tincture by a drop till the pulse is sufficiently lowered.

In Pneumonia, Pleurisy, Acute Rheumatism.

282

℞ Extracti Opii, - - - - - gr. j vel iij
Extracti Belladonnæ, - - - gr. ss
Olei Theobromatis, - - - gr. xij
Misce.

Make into a suppository.

In diseases of the Bladder and Rectum.

283

℞ Camphoræ Monobrom - - - gr. v
Extracti Rosæ Caninæ - - - q.s.
Misce.

Fiat pilula. Sumat j vel ij si opus sit.

In Headache and Wakefulness in Acute Alcoholism.

284

℞ Potassii Bromidi - - - - - ʒjss
Tinct. Digitalis - - - - - ʒj
Tinct. Capsici - - - - - - ʒss
Aquam Camphoræ ad - - - ℥vj
Misce.

Sumat ʒj ter in die.

In Alcoholism.

285

℞ Tinct. Lobeliæ - - - - - - ʒj
Tinct. Hyoscyami - - - - - ʒj
Spiritûs Ætheris Co. - - - - ʒj
Syrupi Tolutani - - - - - ʒj
Misce.

Sig. Take one teaspoonful in water every half-hour during the paroxysm.

In Asthma.

286

℞ Spiritûs Ætheris Co. - - - - ℥j
Liquor Opii Sedativus - - - ♏x
Aquam Camphoræ ad - - - ℥ss
Misce.

Pro re nata.

In Angina.

287

℞ Nitro-Glycerini - - - - - - ♏j
Spiritûs Rectificati - - - - ♏c

Take every four hours one to six drops on sugar.

In Angina.

288

℞ Codeinæ Sulphatis - - - - - gr. iij
Liquoris Atropinæ Sulphatis - ♏xij
Liquoris Strychninæ Hydrochloridi - - - - - - - ℥j
Syrupi Tolutani - - - - - ℥jss
Infusum Rosæ Acidum ad - - ℥vj
Misce.

Sumat ℥ss quartâquâque horâ cum aqua.

Cough Mixture in Phthisis.

289

℞ Calcii Hypophosphitis - - - ʒj
Tinct. Camphoræ Co. - - - ʒiij
Acidi Hydrocyanici Diluti - - ♏xij
Syrupi Simplicis - - - - - ℥j
Infusum Calumbæ ad - - - - ℥vj
℥j ter in die. Misce.

Very useful in Phthisis.

290

℞ Extracti Opii - - - - - - gr. j–ij
Pulveris Capsici - - - - - gr. ij
Extracti Hyoscyami - - - - gr. jv
Misce.

Divide in pilulas duas. (Take one at bed-time.)

Most useful in Vomiting, and where Opium is required. (Sir J. Y. Simpson).

291

℞ Tinct. Camphoræ Co. - - - ♏xx
Vini Ipecacuanhæ - - - - - ♏x
Vini Antimonialis - - - - - ♏xxx
Misturam Amygdalæ ad - - - ℥j
ʒij quartâquâque horâ. Misce.
(For a child one year old.) *In Catarrh.*

292

℞ Vini Ipecacuanhæ - - - - - ♏x
Oxymellis Scillæ - - - - - ♏xl
Spiritûs Ætheris Nitrosi - - - ♏xx
Tinct. Camphoræ Co. - - - ♏xx
Aquæ Anisi - - - - - - - ℥jss
Misce.

ʒij ter in die.

(For children one year old.)

Cough Mixture.

Refrigerants and Salines.

293

℞ Potassii Bicarbonatis - - - - gr. xl
Acidi Citrici - - - - - - - gr. xx
Vini Antimonialis - - - - - ℥jss
Vini Ipecacuanhæ - - - - - ♏xx
Syrupi Limonis - - - - - - ʒijss
Aquam ad - - - - - - - - ℥iij
Misce.

ʒij every three or four hours.

(For a child two years old, after the child has been placed in a hot bath.)

In early stages of Croup (West).

294

℞ Quininæ Sulphatis - - - - - gr. xij
Pulveris Digitalis - - - - - gr. xij
Pulveris Opii - - - - - - gr. vj
Misce.

Divide into twelve powders and give one every four hours. Niemeyer's Powders.

In Acute Phthisis with High Temperature.

295

℞ Liquoris Ammonii Acetatis - - ℥ss
Vini Ipecacuanhæ - - - - - - ʒj
Potassii Nitratis - - - - - - ℥ss
Syrupi - - - - - - - - - - ℥j
Sacchari Usti - - - - - - - ℥ss
Aquam Camphoræ ad - - - ℥vj
℥j ter in die. Misce.

In Acute Catarrh.

296

℞ Potassii Bitartratis - - - - - - ℥j
Olei Limonis - - - - - - - ♏xv
Sacchari Albi - - - - - - - ℥ij
Aquam Bullientem ad - - - ℥xl
Misce.

A pleasant drink when the thirst is great.

In Fevers.

297

℞ Potassii Chloratis - - - - - - ʒj
Syrupi Limonis - - - - - - ℥iij
Aquam ad - - - - - - - - - Oj
Misce.

Half to a wine-glassful for a child.

As a Drink in Scarlet Fever.

298

℞ Potassii Nitratis - - - - - - gr. xij
Magnesii Sulphatis - - - - - ʒj
Syrupi Limonis - - - - - - ʒiij
Aquam ad - - - - - - - - - ℥jss
Misce.

ʒij ter in die. (For a child a year old.)

Febrifuge and Aperient.

299

℞ Potassii Bicarbonatis - - - - - gr. xx
Acidi Citrici - - - - - - - gr. xx
Vini Ipecacuanhæ - - - - - - ♏xj
Tinct. Hyoscyami - - - - - - ♏xviij
Syrupi Mori - - - - - - - - ʒiij
Aquam ad - - - - - - - - - ℥jss
Misce.

ʒij every six hours. (For a child a year old.)

A useful Saline and Sedative for Children.

300

℞ Acidi Citrici - - - - - - - - ʒj
Potassii Bicarbonatis - - - - ʒj
Syrupi Aurantii - - - - - ℥j
Spiritûs Myristicæ - - - - - ʒj
Aquam ad - - - - - - - - ℥vj
Misce.

℥j ter in die.

Inflammatory Sore Throat.

301

℞ Potassii Bicarbonatis - - - - ʒij
Spiritûs Ammoniæ Aromatici - ʒij
Syrupi Aurantii - - - - - ℥j
Aquam ad - - - - - - - - ℥vj
Misce.
Acidi Citrici - - - - - - - - ʒiss
Aquam ad - - - - - - - - ℥vj
Misce.

Two table-spoonfuls of each to be mixed together and drank during effervescence every four hours.

In Vomiting.

302

℞ Acidi Hydrochlorici Diluti - - ♏iij
Mellis Depurati - - - - - - ℥j
Decoctum Hordei - - - - - - Oij
As a daily drink. Misce.

In Typhus, &c.

303

℞ Liquoris Ammonii Acetatis - - ♏vj
Spiritûs Ammoniæ Aromatici - ♏iij
Syrupi Aurantii - - - - - - - ℥j
Aquam ad - - - - - - - - - ℥vj
℥j ter in die. Misce.

In early stages of Fever, Catarrh, &c.

304

℞ Potassii Chloratis - - - - - - gr. xl
Acidi Hydrochlorici Diluti - - ♏j
Spiritûs Chloroformi - - - - ♏j
Extracti Cinchonæ Liquidi - - ♏j
Aquam ad - - - - - - - - - ℥vj
℥ss ter in die. Misce.

In Herpes Zoster.

305

℞ Potassii Nitratis - - - - - - gr. xx
Ammonii Chloridi - - - - - - gr. xij
Aquæ - - - - - - - - - - - - ℥jss
Misce.

Bis, ter, quaterve in die.

In Inflammatory Fever.

306

℞ Vini Antimonialis - - - - - - ʒss
Liquoris Ammonii Acetatis - - ʒss
Magnesii Sulphatis - - - - - ℥j
Aquam Camphoræ ad - - - - - ℥vj
Sumat ℥j ter in die. Misce.

Diaphoretic and Aperient.

307

℞ Potassii Nitratis - - - - - - gr. x
Sodii Bicarbonatis - - - - - - ʒss
Vini Antimonialis - - - - - - ʒij
Syrupi Aurantii - - - - - - - ʒj
Spiritûs Ætheris Nitrosi - - - ʒj
Aquæ - - - - - - - - - - - - ℥v
℥jss ter in die. Misce.

A good Febrifuge.

308

℞ Potassii Nitratis - - - - - - ʒj
Spiritûs Ætheris Nitrosi - - - ℥jv
Syrupi - - - - - - - - - ℥ss
Decoctum Taraxaci ad - - - ℥vj
℥j ter in die. Misce.

In Fevers.

309

℞ Antimonii Tartarati - - - - gr. j
Potassii Nitratis - - - - - ʒij
Tinct. Hyoscyami - - - - - ʒjss
Misturæ Amygdalæ - - - - ℥xij
Tinct. Digitalis - - - - - - ʒss
℥j every hour. Misce.

In Bronchitis and Dropsy of the Chest.

310

℞ Liquoris Ammonii Acetatis - - ʒss
Spiritûs Ammoniæ Aromatici - ♏vj
Vini Ipecacuanhæ - - - - - ʒss
Syrupi - - - - - - - - - ʒiij
Aquam ad - - - - - - - - ℥jss
ʒj ter in die. Misce.

(For a child 6 to 12 months old.)

In Slight Fever.

311

℞ Liquoris Ammonii Acetatis - - ℥j
Ammonii Carbonatis - - - - ℥ss
Potassii Nitratis - - - - - ℥j
Aquam Camphoræ ad - - - - ℥vj
Misce.

Sumat ℥j ter in die.

In Simple Catarrh.

312

℞ Succi Limonis - - - - - - ℥jv
Corticis Limonis Recentis - - ℥ss
Potassii Nitratis - - - - - ℥j
Aquæ Ferventis - - - - - Oiij
Misce.

A Common Drink in Fevers.

Stimulants.

313

℞ Ammonii Carbonatis - - - - ʒss
Spiritûs Myristicæ - - - - - ℥ij
Syrupi - - - - - - - - - ℥j
Infusum Gentianæ Co. ad - - ℥vj
℥j quartâquâque horâ. Misce.

In Chronic Bronchitis, Fevers, &c.

314

℞ Spiritûs Ætheris - - - - - ℥jss
Spiritûs Ammoniæ Aromatici - ℥ij
Infusum Aurantii ad - - - - ℥vj
℥j ter in die. Misce.

In Chronic Bronchitis, Asthma.

315

℞ Misturæ Spiritûs Vini Gallici - ℥vj
Misce.
℥ss–℥j pro re nata. (A valuable stimulant.)

In Debility from any Cause.

316

℞ Vini Xerici - - - - - - - - ℥vj
Ovor. duor. Vitellum - - - -
Sacchari Purificati - - - - - ℥ss
Olei Cinnamomi - - - - - ♏jv
Tinct. Capsici - - - - - - ♏xx
Misce.

℥jss ter, quaterve aut sæpius in die.

In Debility without Fever.

317

℞ Liquoris Sodæ Chlorinatæ - - ʒj–ij
Syrupi Tolutani - - - - - ℥j
Tinct. Serpentariæ - - - - - ʒvj
Aquam ad - - - - - - - - ℥viij
Misce.

A sixth part every six hours.

In Low Fever with Furred Tongue and Offensive Evacuations (Dr Tanner).

318

℞ Vini Xerici - - - - - - - - ℥ij
Ovi Vitellum unius - - - -
Jusculi Bovini (sine sale) - - - ℥viij
Fiat enema.
Misce.

A Restorative in Fevers.

319

℞ Spiritûs Chloroformi - - - - ʒvj
Misturæ Spiritûs Vini Gallici - ℥viij
Misce.

A sixth part every four hours.

Low Stages of Fever.

320

℞ Ovor. duor. Vitellum - - -
Spiritûs Vini Gallici - - - - ℥j
Sacchari Albi - - - - - - - q.s.
Lactis - - - - - - - - - - - ℥viij
Misce.

In Inertia of the Uterus during Labour.

Tonics.

321

℞ Misturæ Ferri Compositæ - - ʒjv
Tinct. Scillæ - - - - - - - ♏xvj
Tinct. Conii - - - - - - - - ♏xl
Misturam Amygdalæ ad - - - ℥iij
Misce.

ʒij ter in die. (For a child 2 years old.)

In Debility during Convalescence from Whooping-Cough; when Whoop still present (West).

322

℞ Acidi Hydryocanici Diluti - - ♏viij
Extracti Cinchonæ Liquidi - - ʒjss
Syrupi Aurantii - - - - - - ʒjss
Aquæ Aurantii Floris - - - - ʒiij
Aquam Destillatam ad - - - ℥jss
Misce.

ʒij ter in die. (For a child 2 years of age).

323

℞ Ammonii Carbonatis - - - -	gr. xxx
Tinct. Aconiti, - - - - - -	♏xl
Tinct. Cinchonæ - - - - -	ʒvj
Aquam Menthæ Piperitæ ad	℥vj

Misce.

℥j ter in die.

In Pneumonia.

324

℞ Acidi Nitrici Diluti - - - -	♏xvj
Acidi Hydrochlorici Diluti - -	♏xxjv
Acidi Hydrocyanici Diluti - -	♏viij
Spiritûs Chloroformi - - - -	♏xl
Tinct. Aurantii - - - - -	ʒjss
Syrupi Simplicis - - - - -	℥ij
Aquam ad - - - - - - - -	℥jv

Misce.

℥ss ter in die. (For a child 4 years old.)

In Phthisis with Cod-Liver Oil.

325

℞ Liquoris Arsenicalis - - - - ♏xxxvj
Tinct. Lavandulæ Co. - - - ʒj
Aquam ad - - - - - - - - ℥vj
Misce.

Sumat ℥ss ter in die post cibos.

In Pernicious Anæmia.

326

℞ Ferri Sulphatis - - - - - - gr. ijss
Potassii Carbonatis - - - - gr. jss
Sacchari - - - - - - - - - gr. j
Tragacanthæ - - - - - - - gr. $\frac{1}{6}$
Misce.

Fiat pil. (Sig. two pills three times a day after meals.)

In Anæmia.

327

℞ Ferri et Quininæ Citratis - - ʒjv
Tinct. Nucis Vomicæ - - - - ʒiij
Syrupi Simplicis ad - - - - ℥vj
Sumat ʒj post cibos. Misce.

In Irritable Heart.

328

℞ Potassii Chloratis - - - - - gr. v
Tinct. Ferri Perchloridi - - - ♏x
Spiritûs Chloroformi - - - - ♏x
Aquam ad - - - - - - - - ℥j
Sumat quartâquâque horâ. Misce.

In Sore Throat.

329

℞ Tinct. Digitalis - - - - - ♏x
Ferri et Ammonii Citratis - - gr. v
Ammonii Carbonatis - - - - gr. v
Aquam ad - - - - - - - - ℥j
Sig. Take three times a day Misce.

Cardiac Tonic with Anæmia, Palpitation, and Debility.

330

℞ Pulveris Digitalis - - - - - gr. ½–j
Ferri Sulphatis Exsiccati - - gr. ¼
Pulveris Capsici - - - - - gr. j
Extracti Aloes - - - - - - gr. ij.
Misce.

Fiat pil. Sig. Take twice in the day.

Heart Tonic with Dyspepsia and Constipation.

331

℞ Quininæ Sulphatis - - - - - gr, xij
Acidi Phosphorici Diluti - - - ʒjss
Tinct. Lupuli - - - - - - - ℥vj
Aquam ad - - - - - - - - ℥viij
℥j ter in die. Misce.

Impaired Appetite.

332

℞ Sodii Bicarbonatis - - - - - gr. xxjv
Tinct. Rhei - - - - - - - - ʒj
Extracti Taraxaci - - - - - gr. xl
Infusi Calumbæ - - - - - ℥xj
Aquæ Carui - - - - - - - - ℥jv
Misce.

ʒij bis in dic. (For a child 1 to 2 years old.)

In Dyspepsia.

333

℞ Acidi Phosphorici Diluti - - - ʒjss
Tinct. Nucis Vomicæ - - - - ʒss
Tinct. Cinchonæ Compositæ - ʒj
Infusum Aurantii ad - - - - ℥vj
℥j ter in dic. Misce.

In Debility.

334

℞ Acidi Hydrochlorici Diluti - - ʒjss
Acidi Hydrocyanici Diluti - - ♏xx
Infusum Chiratæ ad - - - - ℥vj
Misce.

℥j ter in die.

In Gouty Dyspepsia.

335

℞ Quininæ Sulphatis - - - - - gr. xij
Ferri Sulphatis - - - - - - gr. xij
Liq. Strychninæ Hydrochloridi ♏xxx
Acidi Sulphurici Diluti - - - ʒjss
Infusum Quassiæ ad - - - - ℥vj
Misce.

℥j ter in die.

In Neuralgia, &c.

336

℞ Tinct. Ferri Perchloridi - - - ʒss
Potassii Chloratis - - - - - ʒj
Syrupi - - - - - - - - - ℥ss
Aquam ad - - - - - - - - ℥vj
Misce.

℥j quartâquâque horâ.

In Diphtheria.

337

℞ Quininæ Sulphatis - - - gr. xij
Tinct. Ferri Perchloridi - ʒij
Liquoris Strychninæ
Hydrochloridi - - - ♏xviij
Tinct. Capsici - - - - ♏xxx
Magnesii Sulphatis - - - gr. cccclxxx
Infusum Calumbæ ad - - ℥vj
Misce.

A sixth part daily, two or three hours after breakfast, in water.

In Constipation with Debility.

338

℞ Tinct. Nucis Vomicæ - - - - ʒj
Acidi Nitrici Diluti - - - - ʒj
Acidi Hydrochlorici Diluti - - ʒj
Tinct. Aurantii - - - - - - ℥vj
Aquam ad - - - - - - - - ℥vj
Misce.

℥ss ter in die.

In Nervous Headache.

339

℞ Potassii Iodidi - - - - - - ʒiss
Ammonii Chloridi - - - - - - ʒjss
Infusum Lupuli ad - - - - ℥vj
℥ss ter in die. Misce.

In Rheumatic Headache.

340

℞ Tinct. Ferri Perchloridi - - - ʒij
Spiritûs Ætheris Nitrosi - - - ʒjv
Infusum Quassiæ ad - - - - ℥vj
℥ss ter in die. Misce.

In second stage of Nephritis
(Sir G. Stewart).

341

℞ Acidi Hydrochlorici Diluti - - ʒj
Tinct. Nucis Vomicæ - - - - ʒj
Infusum Gentianæ Co. ad - - ℥vj
Misce.

℥j ter in die ante cibum.

Useful in Dyspepsia with Acid Eructations, if given an hour or so before each meal.

342

℞ Sodii Bicarbonatis - - - - -	ʒjss
Spiritûs Ammoniæ Aromatici -	℥ij
Tinct. Gentianæ Compositæ -	ʒss
Syrupi Aurantii - - - - -	℥ss
Infusum Gentianæ Co. ad - -	℥viij

Misce.

℥j ter in die.

In Nervous Headache with Dyspepsia, Furred Tongue, and Acidity.

343

℞ Tinct. Ferri Perchloridi - - -	ʒij
Liq. Strychninæ Hydrochloridi	ʒj
Glycerini - - - - - - - - -	℥ss
Infusum Quassiæ ad - - - -	℥vj

Misce.

℥ss ter in die.

In Headache of Cerebral Anæmia, with Nervous Exhaustion (Dr Smith).

344

℞ Potassii Bicarbonatis - - - - ℥j
Tinct. Nucis Vomicæ - - - - ℥j
Infusum Gentianæ Co. ad - - ℥vj
Misce.

℥j ter in die.

In Dyspepsia with Diminished Acid Secretion, if given before meals.

345

℞ Beberiæ Sulphatis, - - - - ʒss
Syrupi, - - - - - - - - ℥j
Acidi Sulphurici Diluti, - - - ♏xxv
Tinct. Aurantii, - - - - - ℥j
Aquæ, - - - - - - - - ℥jv
Misce.

℥ss t.d.s.

Intermittent Fevers (Christison).

Uterine Therapeutics.

346

℞ Tinct. Cannabis Indicæ, - - - ♏xv
Spiritûs Juniperi, - - - - - ♏xxx
Spiritus Ætheris, - - - - - ♏xlv
Tinct. Aconiti, - - - - - - ♏x
Mucilaginis Acaciæ ad - - - ℥jss
Misce.

Fiat haustus. (At bed-time.)

In Neuralgic Dysmenorrhœa, &c.

347

℞ Antimonii Tartarati, - - - - gr. ij
Tinct. Opii, - - - - - - - - ♏xx
Aquæ,- - - - - - - - - - ℥vj
Misce.

Sumat ℥ss omni horâ donec nausca vel vomitus supervenerit.

In Rigidity of the Os.

348

℞ Acidi Benzoici, - - - - - - - gr. x
Collodii, - - - - - - - - - ℥jv
Acidi Tannici, - - - - - - - gr. xv
Acidi Carbolici, - - - - - - gr. xxv
Fiat lotio. Misce.

(To be applied to the affected parts.)

In Ulceration of Cervix Uteri (Atthill).

349

℞ Boracis, - - - - - - - - - ℥ss
Morphinæ Sulphatis, - - - - gr. vj
Aquæ Rosæ, - - - - - - - - ℥vij
Fiat lotio. Misce.

In Pruritus of Vulvæ.

350

℞ Liquoris Plumbi Subacetatis, - ℥j
Tinct. Opii, - - - - - - - - ℥j
Misce.

A tea-spoonful in half-a-pint of water, to be injected into the vagina twice daily.

In Leucorrhœa.

351

℞ Acidi Carbolici, - - - - - - ʒj
Morphinæ Sulphatis, - - - - - gr. x
Boric Acid, - - - - - - - - - ʒij
Vaseline, - - - - - - - - - - ℥ijss
Fiat unguentum. Misce.

In Pruritus Vulvæ.

352

℞ Liquoris Strychninæ Hydrochloridi, - - - - - - - - ♏iij
Tinct. Digitalis, - - - - - - ♏x
Extract Hydrast. Liq., - - - - ♏xv
Aquam ad - - - - - - - - - ℥j
Sumat ter in die. Misce.

In Menorrhagia with general Debility.

353

℞ Extracti Ergotæ Liquidi, - - - ʒss
Potassii Chloratis, - - - - - - gr. x
Acidi Hydrochlorici Diluti, - - ♏x
Infusi Gentianæ Co., - - - - - ℥j
Misce.
Three times a day for three or four months.

In cases of Subinvolution.

354

℞ Tinct. Sanguinariæ, - - - - ʒij
Tinct. Nucis Vomicæ, - - - ʒij
Tinct. Aloes, - - - - - - - ℥ss
Sig. ♏xx bis in die. Misce.

In Amenorrhœa.

355

℞ Acidi Salicylici, - - - - - gr. vj
Sodii Salicylatis, - - - - - ʒiij
Tinct. Eucalypti, - - - - - ʒvj
Aquam ad - - - - - - - - ℥vj
Misce.

Sig. Three table-spoonfuls to a pint of water, and use as an injection every three or four hours.

In Cancer of Uterus.

356

℞ Zinci Valerianatis, - - - - gr. xviij
Pilulæ Galbani Compositæ, - gr. xxxvj
Olei Sabinæ, - - - - - - ♏xxvj
Misce.

Divide into twelve pills. (Take one three times a day.)

In Amenorrhœa with Hysteria.

357

℞ Plumbi Iodidi, - - - - - - gr. lxxx
Extracti Belladonnæ, - - - gr. xxjv–xl
Olei Theobromatis, - - - ℥j
Olei Olivæ, - - - - - - - ℥ij

Misce.

Melt and divide into eight pessaries.

(One to be placed every night in the vagina.)

In Pelvic Cellulitis, Ovaritis, &c.

358

℞ Zinci Oxidi, - - - - - - - - gr. lx
Extracti Belladonnæ, - - - - gr. xl
Olei Theobromatis, - - - - ℥j
Olei Olivæ, - - - - - - - - ℥ij

Misce.

Divide into eight pessaries.

In Cancer of the Uterus and Irritable Bladder.

359

℞ Liquoris Potassii Permanganatis, ℥ij
Aquæ, - - - - - - - - - - ℥j

Misce.

An Injection in Cancer of the Uterus (West).

360

℞ Tinct. Chloroformi Compositæ, - ʒij
Potassii Bromidi, - - - - - gr. xl
Decocti Taraxaci, - - - - - ℥j
Infusum Aurantii, ad - - - - ℥vij
Misce.

ʒjss ter in die.

In Dysmenorrhœa.

General Prescriptions.

361

℞ Ammonii Chloridi - - - - - ʒij
Tinct. Nucis Vomicæ - - - - ♏j
Tinct. Zingiberis - - - - - ♏j
Tinct. Gentianæ Compositæ - - ℥ss
Aquam Chloroformi ad - - - ℥vj
Misce.

Sumat ℥ss ter in die ante cibos.

Very useful in Dyspepsia.

362

℞ Iodine - - - - - - - - - gr. vj
Potassii Iodidi - - - - - - gr. xij
Mentholis - - - - - - - gr. lx
Glycerinum ad - - - - - - ℥j
Misce.

Fiat applicatio.

(Apply with a camel-hair brush twice or thrice daily.)

For Chronic Pharyngitis.

363

℞ Potassii Iodidi - - - - - - - ʒij
Ammonii Carbonatis - - - - - ℥j
Tinct. Lobeliæ Ætherea - - - - ℥jv
Spiritûs Chloroformi - - - - - ʒjv
Vini Ipecacuanhæ - - - - - - ʒj
Infusum Senegæ ad - - - - - ℥vj
Misce.

A table-spoonful in a wine-glassful of water every four hours.

In Bronchitic Asthma.

364

℞ Tinct. Belladonnæ - - - - - - ʒij
Tinct. Cubebæ - - - - - - - ʒij
Tinct. Nucis Vomicæ - - - - - ʒj
Tinct. Rhus Aromaticæ - - - - ʒj
Tinct. Cascarillæ - - - - - - ℥ij
Misce.

Twelve drops in water at bed-time.
(For a child from 7 to 10 years.)

In Incontinence of Urine.

365

℞ Hydrargyri Bichloridi - - - gr. v
Acidi Salicylici - - - - - - ʒj
Collodii - - - - - - - - ℥j

Misce.

To be applied every day; the upper crust to be removed daily before each application.

For Warts.

366

℞ Chloral Hydratis - - - - - ʒss
Potassii Iodidi - - - - - - ʒss
Syrupi Aurantii - - - - - ʒvj
Aquæ - - - - - - - - - - ℥vj

Misce.

Two to five table-spoonfuls a day.

In Asthma.

367

℞ Guaiacol - - - - - - - - ʒss
Vaselinum ad - - - - - - ℥j

Misce.

Apply to the scrotum on lint twice or thrice daily.

In Orchitis.

368

℞ Tinct. Gelsemii - - - - - - - ♏vj
Tinct. Ferri Perchloridi - - - ♏x
Syrupi Aurantii - - - - - - ℥ss
Aquam ad - - - - - - - - ℥j
Misce.

Fiat haustus, repetatur ter in die.

In Dentalgia.

369

℞ Chrysarobini - - - - - - - gr. xvj
Iodoformi - - - - - - - - gr. vj
Extracti Belladonnæ - - - - gr. xij
Vaselini - - - - - - - - - ℥vj
Misce.

Apply several times daily to the swellings, previously washed with a solution of carbolic acid.

In External Hæmorrhoids.

370

℞ Extracti Opii - - - - - - - gr. jss
Extracti Belladonnæ - - - - - gr. jss
Quininæ Sulphatis - - - - - - gr. xv
Misce.

Divide into twelve pills. One to be taken every three hours.

In Neuralgic Dysmenorrhœa.

371

℞ Chloroformi - - - - - - - - ʒvj
Ætheris - - - - - - - - - - ℥j
Spiritûs Camphoræ - - - - - ℥iij
Tinct. Opii - - - - - - - - ʒjss
Apply to painful part on lint. Misce.

In Neuralgia.

372

℞ Ammonii Chloridi - - - - - - gr. xv
Ammonii Carbonatis - - - - - gr. xv
Pulveris Ipecauanhæ - - - - - gr. iij
Morphinæ Hydrochloridi - - - gr. j
Mucilaginis Acaciæ - - - - - q.s.
Misce.

Divide into pilulas decem quārum unam sumat omni nocte maneque.

In Chronic Bronchitis.

373

℞ Liquoris Calcis - - - - - - - ℥j
Aquæ Laurocerasi - - - - - - ℥j
Glycerini - - - - - - - - - - ℥j
Misce.

Fiat lotio.

In Urticaria.

374

℞ Tinct. Camphoræ Compositæ - ♏xvij
Bismuthi Subnitratis - - - - - ʒij
Syrupi Limonis - - - - - - - ℥ss
Misturæ Cretæ - - - - - - - ℥jss
Misce.

Sumat ℥j tertia vel quartâquâque horâ.
(For a child a year old.)

In Diarrhœa.

375

℞ Acidi Salicylici - - - - - - - gr. xxx
Pulveris Amyli - - - - - - - ʒv
Pulveris Talici ad - - - - - - ℥iij
Misce.

Dust in the socks.

For Fœtid Feet.

376

℞ Olei Ricini - - - - - - - - ℥j
Pulveris Acaciæ - - - - - - gr. xx
Sacchari Albi - - - - - - - ℥ss
Tinct. Camphoræ Compositæ - ♏jv
Aquam Anethi ad - - - - - - ℥jss
Misce.

One tea-spoonful every four hours for a child one year old.

In Enteritis.

377

℞ Iodoformi - - - - - - - - gr. xv
Extracti Belladonnæ - - - - gr. viij
Olei Theobromatis - - - - - q.s.
Make a suppository. Misce.

To be used at bed-time.

For Vaginismus.

378

℞ Resorcin - - - - - - - - - ℥jss
Olei Ricini - - - - - - - - ℥jss
Spiritûs Rectificati - - - - - ℥v
Balsami Peruviani - - - - - gr. viij
Apply locally. Misce.

In Alopecia Areata.

379

℞ Hydrargyri Perchloridi - - - gr. jss
Chloroformi - - - - - - - - ♏xx
Glycerini - - - - - - - - - ℥ij
Aquam Rosæ ad - - - - - - ℥viij
Misce.

To be dabbed on the affected parts.

To allay the Itching in Urticaria.

380

℞ Cocainæ Hydrochloridi - - - gr. jss
Mentholis - - - - - - - - gr. ijss
Acidi Salicylici - - - - - - gr. viij
Acidi Borici - - - - - - - - ʒj
Pulveris Amyli - - - - - - - ℈jss
Misce.

A pinch every two hours as a snuff after blowing the nose.

In Acute Coryza.

381

℞ Ichthyol - - - - - - - - - ʒj
Aquam ad - - - - - - - - - ℥viij

Make an injection to be used thrice daily.

In Gonorrhœa.

382

℞ Hydrargyri Perchloridi - - -	gr. ¾
Sodii Arsenatis - - - - -	gr. j
Ferri Sulphatis Exsiccati - -	gr. xxx
Potassii Carbonatis - - - -	gr. xv
Extracti Nucis Vomicæ - - -	gr. v

Misce.

Divide into thirty pills.

One pill before each meal.

In Amenorrhœa.

383

℞ Creosoti - - - - - - - - -	♏vij
Iodoformi - - - - - - - -	gr. vj
Acidi Carbolici (cryst.) - - -	gr. viij
Olei Theobromatis - - - -	q.s.

Misce.

Divide into thirty pills.

One pill every three hours.

In Phthisis.

384

℞ Olei Eucalypti - - - - - - - ʒjv
Olei Olivæ, Olei Ricini āā - - ℥j
Misce.

For lubricating Urethral Instruments, Catheters, Bougies, &c., before use.

385

℞ Tinct. Ferri Perchloridi - - - ʒj
Potassii Chloratis - - - - - - ℈j
Glycerini - - - - - - - - ℥j
Aquam Cinnamomi ad - - - ℥jv
Misce.

A tea-spoonful every two hours for a child four years old.

In Croup.

386

℞ Acidi Carbolici - - - - - - - gr. ij
Bismuthi Subnitratis - - - - ℈j
Mucilaginis Acaciæ - - - - ℥ss
Aquam Menthæ Piperitæ ad - ℥ij
Misce.

Half a tea-spoonful every two or four hours. (For a child one or two years old.)

In Diarrhœa of Infants.

387

℞ Olei Terebinthinæ - - - -	ʒj
Olei Amygdalæ Dulcis - - -	℥ss
Tinct. Opii - - - - - - - -	ʒij
Mucilaginis Acaciæ - - - -	ʒv
Aquæ Laurocerasi - - - -	℥ss

Misce.

A tea-spoonful every three or six hours.

For Tympanitis.

388

℞ Quininæ Valerianatis - - - -	gr. x
Tinct. Sumbuli - - - - -	ʒij
Extracti Taraxaci Liquidi - -	ʒvj
Infusum Cascarillæ ad - - -	℥vj

Misce.

Sumat ʒji ter in die.

For Neuralgia.

389

℞ Iodoformi, - - - - - - - - ℥jss
Glycerini, - - - - - - - - ℥j
Pulveris Tragacanthæ, - - - gr. xx
Aquæ Destillatæ, - - - - - ℥ijss
Misce.

One table-spoonful in half-a-pint of water as an injection.

For Cystitis.

390

℞ Tinct. Guaiaci Ammoniatæ, - - ʒiij
Tinct. Aconiti, - - - - - - ♏xx
Aquæ Camphoræ, - - - - - ℥vj
Sumat ℥j ter in die. Misce.

For Sore Throat.

391

℞ Creosoti, - - - - - - - - - ♏vj
Olei Terebinthinæ, - - - - ℥jss-ʒiij
Syrupi Aurantii, - - - - - ℥vj
Mucilaginem Acaciæ ad - - - ℥vj
Sumat ℥j quartâquâque horâ. Misce.

In Hæmatemesis, &c.

392

℞ Quininæ Sulphatis, - - - - ʒj
Liquoris Sodii Arsenatis, - - ʒiij
Acidi Sulphurici Dil. - - - - ʒj
Tinct. Cinchonæ Co., - - - - ℥ij
Syrupi Zingiberis, - - - - - ℥ij
Misce.

Sumat cochleare parvum bis terve die post cibos.

In Chronic Rheumatism.

393

℞ Tinct. Ferri Perchloridi, - - - ℥ss
Aquæ, - - - - - - - - - ℥viij
Sig. give as an enema. Misce.

For Ascarides.

394

℞ Hydrargyri Biniodidi - - - - gr. iij
Potassii Iodidi - - - - - - ʒj-ʒij
Spiritûs Rectificati - - - - ʒj
Syrupi Zingiberis - - - - - ʒjv
Aquæ Destillatæ - - - - - ℥jss
Misce.

Sig. Take thirty drops three times a day in a wine-glass of water.

In Syphilitic Skin Diseases.

395

℞ Acidi Tannici - - - - - - - ʒss
Acidi Nitrici Dil. - - - - - - ʒj
Tinct. Lupuli - - - - - - - ʒij
Infusum Gentianæ Co. ad - - ℥vj
Sumat ℥j ter in die. Misce.

For Bronchitis.

396

℞ Tinct. Matico - - - - - - - ʒvj
Infusum Krameriæ - - - - - ℥vij
Syrup Aurantii - - - - - - - ʒj
Sumat ℥j quartâquâque horâ. Misce.

In Hæmorrhage.

397

℞ Tinct. Opii - - - - - - - - ʒj
Tinct. Capsici - - - - - - - ʒj
Spiritûs Camph. - - - - - - ʒj
Chloroformi - - - - - - - - ʒiij
Alcohol Ethylicum 60°/₀ ad - - ℥v
Misce.

Take ♏xx–xl in water every two or three hours.

In Cholera.

Weights and Measures.

The STANDARD adopted in the foregoing Prescriptions is the IMPERIAL, viz.:—

MEASURES OF MASS.

1 Grain .....gr.
1 Ounce (Avoir.)...oz.....= 437·5 gr.
1 Pound.....℔. = 16 ounces = 7000 gr.

The Drachm (ʒ) where used as a weight is to be taken as meaning 60 grains and the Ounce (℥) as meaning 480 grains.

MEASURES OF CAPACITY.

1 Minim .....Min. or ♏.
1 fluid Drachm...fl. dr. or ʒ = 60 Minims.
1 fluid Ounce ....fl. oz. or ℥ = 8 fluid Drachms.
1 Pint.....O = 20 fluid Ounces.
1 Gallon.....C = 8 Pints.

The Metric Standard.

MEASURES OF MASS.

1 Milligramme—m.gm.—
(The $\frac{1}{1000}$ part of a gramme) or 0·001 gm.

1 Centigramme—c.gm.—
(The $\frac{1}{100}$ part of a gramme) or 0·01 "

1 Decigramme—d.gm.—
(The $\frac{1}{10}$ part of a gramme) or 0·1 "

1 Gramme—gm.	or	1·0	"
1 Dekagramme, ... 10 gms.	or	10·0	gms.
1 Hectogramme, 100 gms.	or	100·0	"
1 Kilogramme, 1000 gms.	or	1000·0	"

MEASURES OF CAPACITY.

1 Millilitre =	the volume at 4°C. of	1	gm. of water.	
1 Centilitre =	"	10	"	
1 Decilitre =	"	100	"	
1 Litre =	"	1000	"	(1 kilog.)

Relation of the Imperial Standard to the Metric Standards.

MASS.

1 ℔. = 543·59243	gms.	1 m.gm. = 0·015*	
1 oz = 28·34953	"	1 c.gm. = 0·154*	
1 gr. = 0·064798918	"	1 d.gm. = 1·543*	
		1 gm. = 15·4323564 gr.	

* Nearly.

CAPACITY.

1 gallon	= 4·5459031 lits.	1 Cc = 16·9.... mins.	
1 pint	= 0·5682454 lit.	1 lit. = 1·75980 pts.	
1 fluid oz.	= 0·0284123 "		
1 " dr.	= 0·003552 "		
1 minim	= 0·000059 "		

Table for converting Imperial into approximate Metric Standard.

EQUIVALENT MEASURES OF MASS.

1 ℔	453·59 gms.	70 gr.	4·55 gms.
¾ "	340.2 "	60 "	3·9 "
½ "	226·8 "	50 "	3·25 "
¼ "	113·4 "	40 "	2·6 "
1 oz.	28·35 "	30 "	1·95 "
½ "	14·18 "	20 "	1·3 "
150 gr.	9·75 "	15 "	0·975 gm.
125 "	8·125 "	10 "	0·65 "
120 "	7·8 "	9 "	0·585 "
110 "	7·15 "	8 "	0·52 "
100 "	6·5 "	7 "	0·455 "
90 "	5·85 "	6 "	0·39 "
80 "	5·2 "	5 "	0·325 "

Equivalent Measures—*Continued.*

4 gr.	0·26 gm.	$\frac{1}{10}$ part of a grain	0·0065 gm.
3 "	0·195 "	$\frac{1}{12}$ "	0·0054 "
2 "	0·13 "	$\frac{1}{16}$ "	0·004 "
1 "	0·065 "	$\frac{1}{20}$ "	0·0032 "
$\frac{3}{4}$ part of a grain	0·049 "	$\frac{1}{25}$ "	0·0026 "
$\frac{1}{2}$ "	0·032 "	$\frac{1}{32}$ "	0·002 "
$\frac{1}{3}$ "	0·022 "	$\frac{1}{40}$ "	0·0016 "
$\frac{1}{4}$ "	0·016 "	$\frac{1}{50}$ "	0·0013 "
$\frac{1}{5}$ "	0·013 "	$\frac{1}{60}$ "	0·001 "
$\frac{1}{6}$ "	0·011 "	$\frac{1}{64}$ "	0·001 "
$\frac{1}{8}$ "	0·008 "	$\frac{1}{100}$ "	0·00065 "

EQUIVALENT MEASURES OF CAPACITY.

1 Gallon..	4·55 litres.	7 oz. (℥)	199·5 Cc.
1 Pint.....	0·57 litre.	6 "	171 "
10 oz. (℥)	285 Cc.	5 "	142·5 "
9 "	256·5 "	4 "	114 "
8 "	228 "	3 "	85·5 "

Equivalent Measures—*Continued.*

2 oz.	(℥)	57·1	Cc.	15 mins.	(♏)	0·88	Cc.
1	"	28·5	"	10	"	0·59	"
7 fld.dr.	(ʒ)	24·5	"	9	"	0·53	"
6	"	21	"	8	"	0·47	"
5	"	17·5	"	7	"	0·41	"
4	"	14	"	6	"	0·35	"
3	"	10·5	"	5	"	0·29	"
2	"	7	"	4	"	0·23	"
1	"	3·5	"	3	"	0·17	"
50 mins.	(♏)	2·95	"	2	"	0·11	"
40	"	2·36	"	1	"	0·06	"
30	"	1·77	"	½	"	0·03	"
25	"	1·47	"	¼	"	0·015	"
20	"	1·18	"				

DOMESTIC MEASURES.

1 Tea-spoonful .... = 1 fluid drachm .....(ʒj)
1 Dessert-spoonful = 2 fluid drachms .....(ʒij)
1 Table-spoonful.. = 4 fl. drs. [½ oz.] (ʒiv or ℥ss)
1 Wine-glassful. .. = 2½ fluid ounces.....(℥ijss)

INDEX

List of Diseases and Index to Prescriptions.

[THE NUMBERS REFER TO THE PRESCRIPTIONS, NOT TO THE PAGES.]

Acidity, 26, 29, 30, 34, 35.
Acne, 205, 206, 209, 246, 250.
After-pains, 277.
Alcoholism, 162, 272, 276, 283, 284.
Alopecia, 210, 211, 219, 244, 378.
Amenorrhœa, 354, 356, 382.
Anæmia, 325, 326, 329, 343.
Angina Pectoris, 260, 286, 287.
Anus Pruritus, 222.
Aphthæ, 191, 192.
Ascaris Lumbricoides, 57, 59, 67, 68, 72, 393.
Asthma, 10, 38, 39, 165, 173, 178, 189, 285, 314, 363. 366.

Bladder, Irritable, 24, 33, 36, 282, 358.
Bronchitis, Acute, 146, 149, 160, 166, 170, 395.
Bronchitis, Chronic, 101, 104, 139, 159, 163, 171, 172, 175, 177, 178, 196, 309, 314, 372.

Cancer, 125, 128, 131, 132, 199, 200, 201, 355, 358, 359.
Catarrh, 138, 143. 144, 145, 146, 149, 153, 166, 169, 174, 291, 295, 300, 303, 306, 307, 311, 380.
Cervicitis, 348.
Cholera Asiatica, 90, 93, 105, 397.
Cholera Infantum, 87, 88, 113.
Cholera Simplex, 105.
Colic, Intestinal, 45, 271.
Conjunctivitis, 215, 254.
Constipation, 49, 50, 51, 52, 53, 60, 62, 64, 69, 71, 73, 74, 75, 76, 78, 80, 81, 82, 83, 84, 337.
Cough, 42, 165, 167, 168, 176, 180, 267, 268, 271, 280, 289, 292, 321, 333.
Croup, 293, 385.
Cystitis, 389.

Debility, 34, 315, 316, 317, 334, 337.
Dentition, Painful, 262, 368.
Diarrhœa, 35, 87, 88, 89, 90, 91, 92, 96, 98, 100, 103 105, 110, 111, 113, 114, 115, 119, 124, 374, 386.
Diphtheria, 224, 336.
Dropsy, 65, 142, 147, 148, 309.
Dysentery, 111, 112, 120, 121, 122.
Dysmenorrhœa, 346, 360, 370.
Dyspepsia, 31, 84, 124, 330, 332, 334, 341, 342. 344, 361.
Dysphagia, 234.
Dyspnœa, 41.

Eczema, 207, 208, 218, 227, 229, 239, 241, 243, 246, 249, 251, 252.
Endometritis, 202.
Enteritis, 376.
Epididymitis, 263.
Epilepsy, 12, 15, 23.

Fevers, 144, 146, 154, 155, 296, 297, 303, 305, 307, 308, 310, 312, 313, 317, 318, 319.
Flatulence, 25, 40, 46.
Fœtid Feet, 375.

Gastric Ulcer, 265.
Gonorrhœa, 150, 381.
Gout, 4, 11, 27, 28, 41, 58, 77, 141, 203, 220, 334.

Hæmatemesis, 116, 123, 391.
Hæmoptysis 94, 99, 108.
Hæmorrhage, Intestinal, 95, 102, 106, 109, 116, 123, 396.
Hæmorrhoids, 54, 79, 213, 369.
Headache, 55, 56, 261, 266, 273, 275, 283, 338, 339, 342, 343.
Heart, Hypertrophied, 270.
Heart, Palpitation of, 327, 329.
Heart, Valvular Disease of, 142, 148, 151, 177, 329, 330.
Herpes Zoster, 304.
Hiccough, 274.
Hydrocephalus, Acute, 63.
Hysteria, 44, 48, 279, 356.

Inflammation, 20, 24, 305.
Insomnia, 257, 258, 259, 269, 279, 283, 299.
Intermittent Fever, 345.
Iritis, 230, 253.

Laryngitis, Acute, 194, 197.
Laryngitis, Chronic, 190, 195, 234.
Leucorrhœa, 350.
Lumbago. 231, 232.
Lupus, 126, 128 131, 134, 135, 137.

Meningitis, Cerebral, 5.
Menorrhagia, 352.

Nervousness, 256.
Neuralgia, 61, 223, 232, 257, 261, 266, 335, 371, 388.
Nipples, Sore, 221.

Œdema of Lung, 152.
Orchitis, 198. 263, 367.
Os Uteri, Rigidity of, 347.
Otorrhœa, 225.
Ozæna, 195.

Pertussis, 19, 43, 47, 164, 179, 180, 247, 280, 321, 322.
Pharyngitis, 362.
Phthisis, 100, 107, 117, 118, 129, 130, 188, 194, 195, 197, 237, 255, 288, 289, 294, 324, 383.
Pelvic Cellulitis, 357.

Pleurisy, 281.
Pleurodynia 232.
Pneumonia, 138, 141, 146, 281, 323.
Poisoning, 158, 161, 162.
Prurigo and Pruritus, 216, 217, 222, 227, 240, 245, 349, 351.
Psoriasis, 6, 214, 239, 243.
Purpura, 97.
Pyrosis, 32.

Relapsing Fever, 140.
Rheumatism, Acute, 154, 155, 203, 281, 339.
Rheumatism, Chronic, 8, 9, 233, 392.
Rupia, 136.

Scabies, 212, 228, 242.
Scarlet Fever, 182, 183, 297.
Scrofula, 14, 22, 238.
Sea-Sickness, 264.
Sleeplessness, 257, 258, 259, 269, 279, 283, 299.
Sores, 133, 200, 202.
Subinvolution of Uterus, 353.
Syphilis, 1, 2, 7, 13, 21, 127, 193, 236, 275, 394.

Tabes Mesenterica, 18.
Tape-Worm, 66, 70, 85, 86.
Thread-Worms, 59, 67, 72.
Throat, Sore, 181, 182, 183, 184, 185, 186, 187, 190, 193, 300, 328, 390.
Tic Douleureux, 223, 232.
Tinea Circinata, 235.
Tinea Favosa, 248.
Tinea Tarsi, 248.
Tinea Tonsurans, 226, 228, 248.
Tympanitis, 387.
Typhoid Fever, 95, 96, 109, 115.
Typhus Fever, 302.

Ulcers, 128, 199, 204.
Urticaria, 373, 379.
Uterine Inertia, 320.

Vaginismus, 377.
Vomiting, 90, 290, 301.
Vomiting of Pregnancy, 290.

Whooping-Cough, 19, 43, 47, 164, 179, 180, 247, 280, 321, 322.

WELLCOME LIBRARY INSTITUTE

Edinburgh: Printed by E. & S. LIVINGSTONE.

CATALOGUE

OF

E. & S. LIVINGSTONES'

Medical Publications, &c.

15 TEVIOT PLACE, EDINBURGH.

Our Publications may be obtained from any Bookseller throughout the world.

PRINTING

OF

Medical and Scientific Works.

MESSRS E. & S. LIVINGSTONE, PUBLISHERS, Edinburgh, have special facilities for the Printing and Illustrating of Medical and other Books.

PUBLICATION

OF

Medical & Scientific Works.

Messrs E. & S. LIVINGSTONE,

Medical and Scientific Publishers,

ARE prepared to undertake the Publication of MEDICAL WORKS on terms advantageous to Authors.

The rapid sale of Works hitherto placed in their hands enables them to guarantee a favourable reception by the Profession, among Students, and by the Trade at home and abroad.

Applications for ESTIMATES should be addressed to—

E. & S. LIVINGSTONE,

15 Teviot Place, Edinburgh.

Price £2 : 2s., folio, cloth.

Illustrated by 14 Coloured Plates and 33 Woodcuts.

THE TOPOGRAPHICAL Anatomy of the Child

BY JOHNSON SYMINGTON, M.D.,
F.R.S.E., F.R.C.S.E.,
Professor of Anatomy, Queen's College, Belfast; formerly at School of Medicine, Edinburgh.

Just Published, price 15/ net.

PROFUSELY ILLUSTRATED.

A TEXTBOOK
OF

Medical Jurisprudence, Toxicology, and Public Health.

BY JOHN GLAISTER,
M.D., D.P.H.(Camb.), F.R.S.E.
Professor of Forensic Medicine and Public Health in the University of Glasgow.

Third Edition, in 2 vols., price 18s.

Illustrated with 238 Useful Engravings.

APPLIED ANATOMY:

Surgical, Medical, and Operative.

By JOHN M'LACHLAN, M.D.,

B.Sc., F.R.C.S. Eng., &c.,

Formerly Demonstrator of Anatomy, School of Medicine, Edin.

The Book includes what is usually known as—

1. Surgical Anatomy. | 2. Medical Anatomy.
3. Operative Surgery.

Second Edition, price 12/ net.

Elementary Textbook of Zoology

BY

ARTHUR T. MASTERMAN,

M.A. (Cantab.); D.Sc. (Lond. & St. And.); F.R.S.E.:

Lecturer on Zoology and Biology in the
School of Medicine of the Royal Colleges, Edinburgh;
Joint-Author of
'The Life-Histories of the British Marine Food-Fishes';
Examiner in Biology to the
Royal College of Physicians, Edinburgh, &c.

PROFUSELY ILLUSTRATED.

Price 4s. 6d. net.

THE CONSERVATIVE TREATMENT

OF

Tubercular Joint Disease

and Cold Abscess

As carried out at Breslau by Professor J. von MIKULICZ.

By Dr A. HENLE

Chief Assistant at the Surgical Klinik, Breslau.

WITH PREFACE BY PROFESSOR J. VON MIKULICZ.

Translated from the German by

CHARLES W. CATHCART, F.R.C.S.

Senior Assistant Surgeon, Royal Infirmary, Edinburgh.

Price 4s. net.

HANDBOOK of PUBLIC HEALTH

By JOHN ORR, M.D.,

F.R.C.P.E., M.R.C.S.(Eng.)

'The medical student in particular will be the gainer by the publication of Dr Orr's manual, but the general reader also may glean useful instruction from its pages.' —*Glasgow Herald.*

Just Published, price 10s. 6d. net.

HUSBAND'S

Forensic Medicine, Toxicology, and Public Health.

7TH EDITION, REVISED AND ENLARGED.

By R. J. M. BUCHANAN, M.D., B.Ch. (Vict.), M.R.C.P. Lond., M.R.C.S. Eng., Assist. Lecturer on Forensic Medicine and Toxicology in the Univ. of Liverpool, Assist. Hon. Physician to the Liverpool Royal Infirmary; and E. W. HOPE, M.D., D.Sc., Professor of Public Health, Univ. of Liverpool; Medical Officer of Health of the City and Port of Liverpool.

BY THE SAME AUTHOR.

Fifth Edition, price 10s. 6d. net.

The Students' Handbook of the Practice of Medicine.

Designed for the Use of Students preparing for Examination.

ILLUSTRATED.

Demy 4to, price 7s. 6d.

Illustrated with 10 Coloured Plates.

Nerves of the Human Body

By ALFRED W. HUGHES.

M.B., C.M., F.R.C.S.E., M.R.C.S. Eng.,

Professor of Anatomy, King's College, London

BY THE SAME AUTHOR.

Price 4s. 6d. net.

Illustrated with Coloured Plates.

MANUAL

OF

SURGICAL ANATOMY.

Second Edition, price 6s.

Revised and Enlarged, with 12 Plates and 40 Woodcuts.

MANUAL OF THE Minor Gynecological Operations and Appliances.

By J. HALLIDAY CROOM,

M.D., F.R.C.P.E., F.R.C.S.E.,

Lecturer on Midwifery and Diseases of Women, School of Medicine, Physician to, and Clinical Lecturer on Diseases of Women, Royal Infirmary, Edinburgh, etc.

Price Five Shillings.

THE STUDENTS' HANDBOOK OF GYNECOLOGY.

Profusely Illustrated.

The most practical Handbook ever published.

Third Edition, price 5s. net.

Anatomy of the Brain and Spinal Cord.

BY

J. RYLAND WHITAKER,

B.A., M.B.(Lond.)

Lecturer on Anatomy, Surgeons' Hall, Edinburgh.
Examiner for the Triple Qualification.

BY THE SAME AUTHOR.

Price 4s. 6d. net.

Notes on Pathology.

Vol. I.—GENERAL PATHOLOGY.

'For the student it will prove an admirable memory help, and for the practitioner it will frequently be sufficient when he does not require to dip exhaustively into a subject.'—GLASGOW HERALD.

Price 8s. net.

Wheeler's Handbook of Medicine and Therapeutics.

SECOND EDITION, REVISED AND ENLARGED.

By WILLIAM R. JACK, B.Sc., M.D., F.F.P.S.G., Assistant to the Professor of Practice of Medicine, Glasgow University; Physician to the Out-door Department, Glasgow Western Infirmary.

Demy 8vo, price 4s. 6d. net.

Vaccination Eruptions:

Original Research.

BY

THOMAS DOBSON POOLE, M.D.

Master in Surgery, University of Edinburgh; Fellow of the Obstetrical Society.

Second Edition, price 2s. net.

Revised in accordance with the British Pharmacopœpia, 1898.

THE STUDENTS'

Practical Materia Medica

By G. H. GIFFEN,

L.R.C.P.E., L.R.C.S.E., L.F.P.& S.G.;

'Bathgate' Gold Medallist in Materia Medica, Royal College of Surgeons, Edinburgh.

Second Edition, price 12s. 6d.

THE

Principles and Practice of Midwifery

By ALEXANDER MILNE, M.D.,

Ex-Vice-President of the Edinburgh Obstetrical Society.

'Dr Milne has contrived to condense a great amount of obstetric doctrine, both physiological and pathological, into his book.'—LANCET.

Price 1s. 6d. net.

THE

DISEASES of the EYE.

(A Manual for Senior Students.)

By J. ARTHUR KEMPE, F.R.C.S.,

Late Senior Demonstrator of Anatomy, Surgeons' Hall, Edinburgh.

Price 2s. 6d. net.

The Students' Handbook

OF

Diseases of the Skin.

Illustrated by Coloured Plates and Wood Engravings.

New Edition. Price 1s. 6d. net.

The Students' Pocket Prescriber

BY H. AUBREY HUSBAND,

M.B., C.M., B.Sc., &c.;

Formerly one of the Medical Officers of the Royal Dispensary, Edinburgh.

This Book is intended for Students and young Practitioners, and contains much useful information. The Prescriptions are arranged thus:—Alteratives; Antacids; Antispasmodics; Aperients, Cathartics, and Anthelmintics; Astringents; Caustics and Counter Irritants; Diaphoretics and Diuretics; Emetics and Expectorants; Gargles and Inhalations; Lotions, Liniments and Ointments; Narcotics and Sedatives; Refrigerants and Salines; Stimulants; Tonics; Uterine Therapeutics; with an index to the Prescriptions.

Second Edition, price 6d. net.

Revised in accordance with the latest British Pharmacopœia, 1898.

Dose Tables of Materia Medica

Containing all the Doses required for Examinations and Prescribing.

BY T. HOMER, L.R.C.S., L.R.C.P.Edin.

Third Edition. Price 1s. net.

THE URINE

In Health and in Disease, together with its Chemical Examination.

BY H. AUBREY HUSBAND,

M.B., C.M., B.Sc., &c.,

Author of the 'Students' Handbook of Forensic Medicine and Public Health.'

WITH NUMEROUS PLATES.

Price 4s. net.

YELLOW FEVER

BY

JAMES W. MARTIN, M.D.

ILLUSTRATED.

'It gives a very clear and concise account of the chief facts about yellow fever and its congeners among the malarial fevers of the tropics, and discusses its etiology and treatment at some length.'—LANCET.

Price 2s. 6d. net.

The Rotatory Movements of the Human Vertebral Column

AND

The so-called Musculi Rotatores.

BY ALFRED W. HUGHES,

M.B. & C.M. Edin.; F.R.C.S. Eng.; F.R.C.S. Edin.

Professor of Anatomy, King's College, London.

Author of 'Nerves of the Human Body' and 'Manual of Surgical Anatomy.'

Price 2s. 6d. net.

PATHOLOGY

(CATECHISM SERIES).

Special.

The above is printed on one side of the paper, with ample margins, and blank pages for Notes and Diagrams.

The Catechism Series.

NEARLY ALL THE PARTS ARE ILLUSTRATED.

Price ONE SHILLING net each Part.

HISTOLOGY
[ONE PART].

PATHOLOGY
[PARTS 1, 2 & 3].

ANATOMY
[SIX PARTS]

BOTANY
[TWO PARTS].

PHYSICS
[TWO PARTS].

MATERIA MEDICA
[THREE PARTS].

BACTERIOLOGY
[ONE PART].

PUBLIC HEALTH
[FIVE PARTS].

*

The Catechism Series

CONTINUED.

PHYSIOLOGY

[FOUR PARTS].

CHEMISTRY

[TWO PARTS].

MIDWIFERY

[TWO PARTS].

FORENSIC MEDICINE

[ONE PART].

TOXICOLOGY

[ONE PART].

ZOOLOGY

[TWO PARTS].

SURGERY

[SEVEN PARTS].

SURGICAL ANATOMY AND OPERATIONS

[TWO PARTS]

The Catechism Series.

Price One Shilling net each Part.

Examination Questions

IN

Practice of Medicine.

WITH ANSWERS.

Part 1—GENERAL DISEASES.
Part 2—SKIN DISEASES.
Part 3—FEVERS.

Adapted for those who are Preparing themselves for the Final Examination.

Other Parts will follow.

OPINIONS OF THE PRESS.

'The aim of the Series is to help the Student in preparing his works for examination without the aid of a tutor. The Questions are very suggestive, and are such as are likely to be given at examinations. The Answers are concise and clear. The reading of these books just before going in for an examination will be of considerable use in recalling the most important points to memory.'—ILLUSTRATED MEDICAL NEWS.

4to. Price Sixpence net.

SCHEDULES FOR

Plant Description

(Illustrated).

BY JOHN WISHART,

Lecturer on Zoology and General Biology in Robert Gordon's College, Aberdeen;
Herbarium Medallist of Pharmaceutical Society of Great Britain.

BY THE SAME AUTHOR.

Price Two Shillings net.

THE

Botanist's Vade Mecum

'A very handy little pocket guide to the classification of plants, intended for use during botanical excursions. The matter is very concise and well arranged, and the value of the book is very materially enhanced by an ingenious and novel form of index.'—GUY'S HOSPITAL GAZETTE.

New Edition. Price 1s. net.

POSOLOGICAL TABLES;

Also, APPENDIX on POISONS:

Being a Tabular Arrangement of all the MEDICINES contained in the latest British Pharmacopœia, with Dose, etc.

By WILLIAM CRAIG, M.D.,

C.M., F.R.C.S.E.,

Lecturer on Materia Medica, Edinburgh School of Medicine; Examiner University of Edinburgh.

Price One Shilling net.

A Manual of Dental Education

WITH SOME

General Notes upon the Modern Curriculum of the Dental Student.

BY

ARTHUR TURNER, L.D.S., F.C.S.,

Dental Surgeon to the Buckinghamshire General Infirmary.

Price 1s. 6d. net.

Materia Medica Tables.

DESIGNED FOR THE USE OF STUDENTS.

BY A. HERBERT BUTCHER,
L.R.C.P., L.R.C.S. & L.M.,
Honorary Surgeon to Birkenhead Borough Hospital.

'It is intended for the assistance of students in preparing for examinations, and will be found to contain much information arranged in an admirably simple manner, so that it can be acquired almost at a glance. —PUBLISHERS' CIRCULAR.

Temperature Charts:

Suitable for Hospitals, Dispensaries, or Private Cases.

Specimen Copies free on receipt of Two Stamps.

Special Sizes or Kinds produced to Order at Moderate Rates.

Price One Shilling net.

References to Nerves:

Being Tabular Views of Motor Nerves to Muscles, &c.

Invaluable to the Anatomical Student.

Price Sixpence net.

Case-Taking Book for Hospitals:

WITH HINTS ON CASE-TAKING.

The Synopsis used in Royal Infirmary, Edinburgh.

Price 3s. 6d. net.

ZOOLOGY NOTES.

Specially adapted for Students preparing for Professional Examinations in Medicine and Science. The various Divisions considered in accordance with the several University Syllabuses.

BY

ALEXANDER JOHNSTONE,

F.G.S.,

Lecturer on Botany, School of Medicine, Edinburgh.

BY THE SAME AUTHOR.

Fourth Edition. Price Two Shillings net.

BOTANY NOTES.

Specially adapted for Students preparing for Professional Examinations in Medicine and Science. The various Divisions considered in accordance with the several University Syllabuses.

Part I., price 6d. net.

Atlas of Chemistry

Organic and Inorganic

Designed for the use of Medical and Science Students and Science Teachers in Schools and Evening Classes.

By VICTOR V. BRANFORD, M.A.

BY THE SAME AUTHOR.

New Edition, Revised. Price 6d. net.

HANDBOOK OF Animal Classification

FOR THE USE OF

MEDICAL AND SCIENCE STUDENTS.

Price 1s. 6d.

The Physiology of the Eye,

WITH AN INTRODUCTORY CHAPTER ON OPTICS,

Illustrated by 26 Woodcuts.

BY H. CAMPBELL,

M.B., B.Sc. Lond., M.R.C.P. Lond., M.R.C.S. Eng.

This is an admirable little text-book, and will commend itself to every student of physiology.'

Price One Shilling net.

Morphology of the Vertebrata:

Dog-Fish, Cod, Pigeon, and Rabbit;

With DEVELOPMENT of the DOG-FISH.

BY D. KNIGHT,

OF THE MUSEUM OF SCIENCE AND ART, EDINBURGH.

ILLUSTRATED.

In Paper Boards, price 1s. 6d. (cloth 2s.)

The Child—How to Nurse It;

OR

THE MANAGEMENT OF CHILDREN AND THEIR DISEASES.

BY DR ALEXANDER MILNE.

Price One Shilling net.

Puberty

AND

The Change of Life.

A BOOK FOR WOMEN.

BY J. C. WEBSTER, M.D., &c.,

Assistant to the Professor of Midwifery and Diseases of Women in the University of Edinburgh.

Price One Penny.

ALCOHOL:

Its Action on the Body in Health.

BY ALEXANDER WALKER, M.D.,

Late Medical Officer of Health, Putney.

'The author's impeachment of Alcohol is overpowering. The pamphlet ought to be circulated throughout the land by our Temperance Societies.'—OLDHAM CHRONICLE.

Price Threepence.

THE MONTHLY NURSE:

Hints on Nursing.

BY H. AUBREY HUSBAND, M.B., C.M.,

F.R.C.S.E.

Price Two Shillings net.

Handbook of Deductive Logic

DESIGNED SPECIALLY FOR

Medical Students preparing for their Preliminary Examination.

BY REV. DUNCAN STEWART, D.D.,

Minister of Spott, Dunbar.

'It is a simple, yet able, and useful handbook which has every prospect of being appreciated.' —SCOTSMAN.

Price 2/6 net. *Illustrated.*

PHYSICAL TRAINING:

ITS THEORY AND PRACTICE.

Being an Elementary Treatise on the necessity and effects of Exercise.

BY H. RIPPON SEYMOUR,

Gymnastic and Fencing Master, George Watson's College, Edinburgh.

With an INTRODUCTION by

WILLIAM TAYLOR, M.D., F.R.C.P.E.

NOW READY.

Price 2s. 6d. net.

THE AWFUL and ETHICAL ALLEGORY

OF

DEUTERONOMY SMITH;

OR,

The Life History of a Medical Student.

BY A STUDENT OF MEDICINE.

Illustrated with over 100 Characteristic Sketches.

Cheap Edition, words only, 3d.

Crown 8vo., 411 pp. Price 3/6.

CLAUDE GARTON

A STORY OF

Dunburgh Student Life.

BY THOMAS J. HENRY, F.R.C.S.E.,

Author of 'Deuteronomy Smith.'

'This highly interesting story by the author of "Deuteronomy Smith," itself an excellent testimonial, deals with the life and adventures of an Edinburgh medical student. Claude Garton comes up to Edinburgh, or Dunburgh, as it is called in the book, and goes through the usual life of a man up here. We have been unable to find any instance of his being the worse for drink, thereby upholding the well-known sobriety of medical students. He experiences a Symposium, a Rectorial, and Professional Examinations, and finally graduates. One of the best and most faithful descriptions in the book is that of a Police Court the day after a torchlight procession. Garton falls in love with a damsel called Gipsy, who resides in an establishment known as the Royal Britannia, and shortly termed "R. B." We are introduced to many whose names are curiously familiar. The story is interestingly written, and will be read with avidity by Edinburgh men in particular, and medical students in general.' — THE STUDENT.

PUBLISHED ANNUALLY

Price 2s.; by post, 2s. 3d.

MEDICAL

Examination Questions

Set by the various Bodies in Edinburgh for several years.

University.—Preliminary—Professional—Public Health.

Triple Board.—Preliminary—Professional—Public Health.

Royal College of Physicians—Licence—Membership.

Royal College of Surgeons.—Licence—Fellowship—Dental.

Livingstones' Catechism Series.

Price One Shilling each Part, net.

Anatomy—Six Parts.

1. Upper Extremity.
2. Lower Extremity.
3. Head and Neck.
4. Abdomen.
5. Thorax.
6. Bones and Joints.

Bacteriology—One Part.

Botany—Two Parts.

Chemistry—Two Parts.

Forensic Medicine—One Part.

Histology—One Part.

Materia Medica—Three Parts.

Midwifery—Two Parts.

Pathology—Three Parts.

Physics—Two Parts.

Physiology—Four Parts.

Practice of Medicine—

1. General Diseases. 2. Skin Diseases. 3. Fevers.

Public Health—Five Parts.

1. Water.
2. Air and Ventilation.
3. Sewage.
4. Vital Statistics.
5. Medicine—Food—Water-Closets—Disinfectants—Warming, Hospitals, etc.

Surgery—Seven Parts.

Part 1. Hæmorrhage—Repair—Inflammation—Suppuration—Ulceration—Mortification—Erysipelas—Wounds—Burns.

Part 2. Fractures and Dislocations of Upper Extremity.

Part 3. Fractures and Dislocations of Lower Extremity—Diseases of Blood-Vessels and Lymphatics.

Part 4. Tumours—Diseases of Bones—Diseases of Joints.

Part 5. Injuries and Diseases of Muscles and Nerves (Club-Foot, Whitlow, Ganglion, etc.)—Venereal Diseases. Regional Surgery—Injuries and Diseases of the Head.

Part 6. REGIONAL SURGERY: Face, Nose, Mouth, and Tongue, Œsophagus, Hare-lip; Neck, Tracheotomy; etc., Thorax and Mamma.

Part 7. REGIONAL SURGERY: Vertebral Column, Abdomen, Rectum, Urinary and Genital Organs, etc.

Surgical Anatomy and Operations—Two Parts.

Toxicology—One Part.

Zoology—Two Parts.

NEARLY ALL THE PARTS HAVE NUMEROUS USEFUL ILLUSTRATIONS.